# SEISMIC SEQUENCE STRATIGRAPHY OF THE INTRA-BARROW GROUP, BARROW SUB-BASIN, NORTHWEST SHELF, AUSTRALIA

# **Emma King**

B.App.Sc. (QUT), Hons (Uni of Adel.)

(Msc by Research, University of Adelaide)

# **Australian School of Petroleum**

Thesis submitted to the University of Adelaide in partial fulfillment of the requirement of the degree Master of Science (Petroleum Geology & Geophysics)
February 2008

# **Statement of Confidentiality**

Due to a confidentiality agreement between Apache Energy Australia and the Australian School of Petroleum, this thesis is not available for public inspection or borrowing until 31 February 2010.

# **TABLE OF CONTENTS**

ABST	ABSTRACT14		
1.0	INTRODUCTION	15	
1.1	RATIONALE	15	
1.2	AIMS AND OBJECTIVES	16	
1.3	STUDY AREA	17	
2.0	GEOLOGIC SETTING	18	
2.1	INTRODUCTION	18	
2.2	TECTONIC EVOLUTION	19	
2.3	BARROW SUB-BASIN EVOLUTION	20	
2	.3.1 TECTONIC EVOLUTION OF THE BARROW SUB-BASIN	21	
2	.3.2 STRUCTURAL ELEMENTS OF THE BARROW SUB-BASIN	21	
2	.3.3 STRATIGRAPHY OF THE BARROW SUB-BASIN	22	
	2.3.3.1 Pre-Mesozoic	23	
	2.3.3.2 Triassic	23	
	2.3.3.3 Jurassic	23	
	2.3.3.4 Cretaceous	24	
	2.3.3.5 Tertiary	25	
2	.3.4 BARROW GROUP STRATIGRAPHY	25	
2.4	EXPLORATION HISTORY	27	
2.5	DATABASE	29	
METH	IODOLOGY	31	
SUI	MMARY OF PROJECT METHODOLOGY	31	
3.1	WELL DATA	32	
3.2	BIOSTRATIGRAPHY	33	
3.3	SEISMIC DATA	33	
3.4	SEISMIC INTERPRETATION	34	
3.5	PROPORTIONAL SLICING	35	
3.6	PALAEOGEOGRAPHIC RECONSTRUCTIONS	36	
3.7	HIGH RESOLUTION SEISMIC SEQUENCE STRATIGRAPHY	36	

3.8 F	PLAY AND PROSPECTIVITY ANALYSIS	37
4.0 SE	ISMIC SEQUENCE STRATIGRAPHY	38
4.1 I	NTRODUCTION	38
4.2 H	HISTORY OF SEQUENCE STRATIGRAPHY	38
4.3 SE	ISMIC SEQUENCE 1	41
DESCR	IPTION	41
4.3.1	KEY SURFACES	41
4.3.2	SEISMIC CHARACTER/SEISMIC FACIES	41
4.3.3	DISTRIBUTION and EXTENT	42
4.3.4	DEPOCENTRE POSITION	42
4.3.5	STACKING PATTERNS (seismic and well)	42
4.3.6	SLOPE ANGLE	43
4.3.7	AGE	43
4.4 II	NTERPRETATION	43
4.3.8	SYSTEMS TRACT	43
4.3.9	RESERVOIR/SEAL POTENTIAL	44
4.3.10	PALAEOGEOGRAPHIC RECONSTRUCTIONS	44
4.4 SE	ISMIC SEQUENCE 2	45
DESCR	IPTION	45
4.4.1	KEY SURFACES	45
4.4.2	SEISMIC CHARACTER/SEISMIC FACIES	46
4.4.3	DISTRIBUTION and EXTENT	46
4.4.4	DEPOCENTRE POSITION	46
4.4.5	STACKING PATTERNS (seismic and well)	47
4.4.6	SLOPE ANGLE	47
4.4.8	AGE	47
INTERF	PRETATION	48
4.4.8	SYSTEMS TRACTS	48
4.4.9	RESERVOIR/SEAL POTENTIAL	48
4.4.10	PALAEOGEOGRAPHIC RECONSTRUCTIONS	48
45 SF	ISMIC SEQUENCE 3	49

D	ESCRIP	TION	49
	4.5.1	KEY SURFACES	49
	4.5.2	SEISMIC CHARACTER/SEISMIC FACIES	49
	4.5.3	DISTRIBUTION and EXTENT	50
	4.5.4	DEPOCENTRE POSITION	50
	4.5.5	STACKING PATTERNS (seismic and well)	50
	4.5.6	SLOPE ANGLE	51
	4.5.7	AGE	51
11	NTERPRE	ETATION	51
	4.5.8	SYSTEMS TRACTS	51
	4.5.9	RESERVOIR/SEAL POTENTIAL	52
	4.5.10	PALAEOGEOGRAPHIC RECONSTRUCTIONS	52
4.6	SEISM	MIC SEQUENCE 4	53
D	ESCRIP <sup>-</sup>	TION	53
	4.6.1	KEY SURFACES	53
	4.6.2	SEISMIC CHARACTER/SEISMIC FACIES	53
	4.6.3	DISTRIBUTION and EXTENT	54
	4.6.4	DEPOCENTRE POSITION	54
	4.6.5	STACKING PATTERNS (seismic and well)	54
	4.6.6	SLOPE ANGLE	55
	4.6.7	AGE	55
11	NTERPRE	ETATION	55
	4.6.8	SYSTEMS TRACTS	55
	4.6.9	RESERVOIR/SEAL POTENTIAL	56
	4.6.10	PALAEOGEOGRAPHIC RECONSTRUCTIONS	56
4.7	SEISM	MIC SEQUENCE 5	57
D	ESCRIP <sup>-</sup>	TION	57
	4.7.1	KEY SURFACES	57
	4.7.2	SEISMIC CHARACTER/SEISMIC FACIES	57
	4.17.3	DISTRIBUTION and EXTENT	58
	474	DEPOCENTRE POSITION	58

	4.7.5	STACKING PATTERNS (seismic and well)	58
	4.7.7	SLOPE ANGLE	59
	4.7.8	AGE	59
ı	NTERPRE	ETATION	59
	4.7.9	SYSTEMS TRACTS	59
	4.7.10	RESERVOIR/SEAL POTENTIAL	60
	4.7.11	PALAEOGEOGRAPHIC RECONSTRUCTIONS	60
4.8	SEISM	MIC SEQUENCE 6	61
l	DESCRIPT	ΓΙΟΝ	61
	4.8.1	KEY SURFACES	61
	4.8.2	SEISMIC CHARACTER/SEISMIC FACIES	62
	4.8.3	DISTRIBUTION and EXTENT	62
	4.8.4	DEPOCENTRE POSITION	62
	4.8.5 ST	FACKING PATTERNS (seismic and well)	63
	4.8.7	SLOPE ANGLE	63
	4.8.8	AGE	63
ı	NTERPRE	ETATION	64
	4.8.9	SYSTEMS TRACTS	64
	4.8.10	RESERVOIR/SEAL POTENTIAL	64
	4.8.11	PALAEOGEOGRAPHIC RECONSTRUCTIONS	
4.9	SEISM	/IIC SEQUENCE 7	65
I	DESCRIPT	ΓΙΟΝ	65
	4.9.1	KEY SURFACES	65
	4.9.2	SEISMIC CHARACTER/SEISMIC FACIES	65
	4.9.3	DISTRIBUTION and EXTENT	65
	4.9.4	DEPOCENTRE POSITION	66
	4.9.5	STACKING PATTERNS (seismic and well)	66
	4.9.6	SLOPE ANGLE	66
	4.9.7	AGE	67
ı	NTERPRE	ETATION	67
	100	SYSTEMS TRACTS	67

4.9.9	RESERVOIR/SEAL POTENTIAL	67
4.9.10	PALAEOGEOGRAPHIC RECONSTRUCTIONS	68
4.10 SEISN	/IIC SEQUENCE 8	68
DESCRIPT	ΓΙΟΝ	68
4.10.1	KEY SURFACES	68
4.10.2	SEISMIC CHARACTER/SEISMIC FACIES	69
4.10.3	DISTRIBUTION and EXTENT	69
4.10.4	DEPOCENTRE POSITION	69
4.10.5	STACKING PATTERNS (seismic and well)	70
4.10.6	SLOPE ANGLE	70
4.10.7	AGE	71
INTERPRE	ETATION	71
4.10.8	SYSTEMS TRACTS	71
4.10.9	RESERVOIR/SEAL POTENTIAL	72
4.10.10	PALAEOGEOGRAPHIC RECONSTRUCTIONS	72
4.11 SEISN	/IIC SEQUENCE 9	73
DESCRIPT	ΓΙΟΝ	73
4.11.1	KEY SURFACES	73
4.11.2	SEISMIC CHARACTER/SEISMIC FACIES	73
4.11.3	DISTRIBUTION and EXTENT	73
4.11.4	DEPOCENTRE POSITION	74
4.11.5	STACKING PATTERNS (seismic and well)	74
4.11.6	SLOPE ANGLE	
4.11.7	AGE	75
INTERPRE	ETATION	75
4.11.8	SYSTEMS TRACTS	75
4.11.9 F	RESERVOIR/SEAL POTENTIAL	75
4.11.10	PALAEOGEOGRAPHIC RECONSTRUCTIONS	76
	/IIC SEQUENCE 10	
DESCRIPT	ΓΙΟΝ	76
A 12 1	KEY SURFACES	76

4.12.2	SEISMIC CHARACTER/SEISMIC FACIES	77
4.12.3	DISTRIBUTION and EXTENT	77
4.12.4	DEPOCENTRE POSITION	77
4.12.5	STACKING PATTERNS (seismic and well)	78
4.12.6	SLOPE ANGLE	78
4.12.7	AGE	79
INTERPR	ETATION	79
4.12.8	SYSTEMS TRACTS	79
4.12.9	RESERVOIR/SEAL POTENTIAL	80
4.12.10	PALAEOGEOGRAPHIC RECONSTRUCTIONS	80
4.13 SEIS	MIC SEQUENCE 11	81
DESCRIP	TION	81
4.13.1	KEY SURFACES	81
4.13.2	SEISMIC CHARACTER/SEISMIC FACIES	81
4.13.3	DISTRIBUTION and EXTENT	82
4.13.4	DEPOCENTRE POSITION	82
4.13.5	STACKING PATTERNS (seismic and well)	82
4.13.6	SLOPE ANGLE	83
4.13.7	AGE	83
INTERPR	ETATION	83
4.13.8	SYSTEMS TRACTS	83
4.13.9	RESERVOIR/SEAL POTENTIAL	84
4.13.10	PALAEOGEOGRAPHIC RECONSTRUCTIONS	84
5.0 HIGH	RESOLUTION SEQUENCE STRATIGRAPHIC ANALYSIS	86
5.1 INT	RODUCTION	86
5.2 DE	SCRIPTION OF SEISMIC SEQUENCE 1	87
5.2.1	KEY SURFACES	87
5.2.2	SYSTEMS TRACTS	87
5.3 ISC	OCHRON MAPPING AND TIMESLICE INTERPRETATION	89
5.4 RE	LATION TO HYDROCARBON PROSPECTIVITY	90
60 PLAY	AND PROSPECTIVITY ANALYSIS	91

6.1	SOURCE ROCK	91
6.2	EXPULSION AND MIGRATION	92
6.3	PLAY TYPES IN STUDY AREA	93
6.4	SEISMIC SEQUENCE PROSPECTIVITY	94
6.4.	1 SEISMIC SEQUENCE 1	94
6.4.	2 SEISMIC SEQUENCE 2	95
6.4.	3 SEISMIC SEQUENCE 3	96
6.4.	4 SEISMIC SEQUENCE 4	96
6.4.	5 SEISMIC SEQUENCE 5	97
6.4.	6 SEISMIC SEQUENCE 6	97
6.4.	7 SEISMIC SEQUENCE 7	98
6.4.	8 SEISMIC SEQUENCE 8	98
6.4.	9 SEISMIC SEQUENCE 9	99
6.4.	10 SEISMIC SEQUENCE 10	100
6.4.	11 SEISMIC SEQUENCE 11	100
6.5	LEADS	101
6.5.		
6.5.		
6.5.	3 BASIN-FLOOR LEADS	103
6.5.	4 LOWSTAND SYSTEMS TRACTS LEADS	103
6.5.		
6.5.	6 STRUCTURAL/OTHER LEADS	105
7.0 D	ISCUSSION	106
7.1	SHELF DEPOCENTRE EVOLUTION	106
7.2	N-NE SHELF PROGRADATION AND ROTATION	107
7.3	ALASKAN ANALOGUE: NANUSHUK AND TOROK FM	108
7.4	WEST SPITSBERGEN AND TRINIDAD ANALOGUES	
	ONCLUSIONS	
	ECOMMENDATIONS	
10.0 A	ppendix	117
11 0 RF	FERENCES	118

## **LIST OF FIGURES AND TABLES**

Figure 1.1	Northern Carnarvon Basin Regional Structural Elements Map
Figure 1.2	Location and outline of the Flinders 3D survey, Barrow Sub-basin
Figure 2.1	Basin subdivisions of the Northwest Shelf of Australia
Figure 2.2	Palaeogeographic maps for NWS development
Figure 2.3	Schematic cross-section of Barrow Sub-basin
Figure 2.4	Study area tectonic elements map
Figure 2.5	Northern Carnarvon Basin Stratigraphic Column
Figure 2.6	Barrow Group stratigraphic column
Figure 2.7	Barrow Group naming conventions and biostratigraphy
Figure 3.1	Project Work Flow Diagram
Figure 3.2	GR type logs for Barrow Group
Figure 3.3	Key seismic characteristics and reflection examples
Table 3.1	Well list
Figure 4.1	Comparison of the Vail/Exxon depositional sequence model with
the Frazier/G	Salloway stratigraphic sequence model

Figure 4.2 Seismic section displaying Seismic Sequence 1, bound by SB1 and

SB2

**Figure 4.3** Location map of all seismic lines displayed from the Flinders 3D seismic survey

- Figure 4.4 Sequence Boundary 1 Time-Structure Map
- Figure 4.5 Sequence Boundary 2 Time-Structure Map
- Figure 4.6 Gamma ray response at Emperor-1 for Seismic Sequence 1
- Figure 4.7 SB1 SB2 Isochron Map
- **Figure 4.8** Sequence stratigraphic framework developed for intra-Barrow

Group Seismic Sequences 1 through 11

- **Figure 4.9** Seismic Sequence 1 palaeo-geography map
- **Figure 4.9a** Un-interpreted and interpreted timeslice displaying palaeo-shelf, incised valley and deltaic features.
- **Figure 4.10** Seismic section displaying Seismic Sequence 2, bound by SB2 and SB3
- Figure 4.11 Sequence Boundary 3 Time-Structure Map
- Figure 4.12 SB2 SB3 Isochron Map
- Figure 4.13 Gamma ray response at Emperor-1 for Seismic Sequence 2
- Figure 4.14 Seismic Sequence 2 palaeo-geography map
- **Figure 4.15** Seismic section displaying Seismic Sequence 3, bound by SB3 and SB4
- Figure 4.16 Sequence Boundary 4 Time-Structure Map
- Figure 4.17 SB3 SB4 Isochron Map
- Figure 4.18 Gamma ray response at Emperor-1 for Seismic Sequence 3

- Figure 4.19 Seismic Sequence 3 (TIME 1) palaeo-geography map
- Figure 4.20 Seismic Sequence 3 (TIME 2) palaeo-geography map
- **Figure 4.21** Seismic section displaying Seismic Sequence 4, bound by SB4 and SB5
- Figure 4.22 Sequence Boundary 5 Time-Structure Map
- Figure 4.23 Gamma ray response at Emperor-1 for Seismic Sequence 4
- Figure 4.24 SB4 SB5 Isochron Map
- Figure 4.25 Seismic Sequence 4 palaeo-geography map
- **Figure 4.26** Seismic section displaying Seismic Sequence 5, bound by SB5 and SB6
- Figure 4.27 Sequence Boundary 6 Time-Structure Map
- Figure 4.28 SB5 SB6 Isochron Map
- **Figure 4.29** Gamma ray response at North Herald-1 and Alum-1 for seismic sequence 5
- **Figure 4.30** Gamma ray response at South Pepper-1 for seismic sequence a) 5 and b) 11
- Figure 4.31 Seismic Sequence 5 (TIME 1) palaeo-geography map
- Figure 4.32 Seismic Sequence 5 (TIME 2) palaeo-geography map
- **Figure 4.33** Seismic section displaying Seismic Sequence 6, bound by SB6 and SB7
- Figure 4.34 Sequence Boundary 7 Time-Structure Map
- Figure 4.35 SB6 SB7 Isochron Map
- Figure 4.36 SB6 SB8 Isochron Map

- Figure 4.37 Seismic Sequence 6 palaeo-geography map
- **Figure 4.38** Seismic section displaying Seismic Sequence 7, bound by SB6 and SB8
- Figure 4.39 Sequence Boundary 8 Time-Structure Map
- Figure 4.40 SB7 SB8 Isochron Map
- **Figure 4.41** Gamma ray response at South Pepper-1 for seismic sequences 5, 7, 8, 9 and 10
- **Figure 4.42** Gamma ray response at North Herald-1, Alum-1, Mosman-1 and South Pepper-1 for Seismic Sequence 6 through 11
- Figure 4.43 Seismic Sequence 7 palaeo-geography map
- **Figure 4.44** Seismic section displaying Seismic Sequence 8, bound by SB8 and SB9
- Figure 4.45 Sequence Boundary 9 Time-Structure Map
- Figure 4.46 SB8 SB9 Isochron Map
- Figure 4.47 Seismic Sequence 8 (TIME 1) palaeo-geography map
- Figure 4.48 Seismic Sequence 8 (TIME 2) palaeo-geography map
- **Figure 4.49** Seismic section displaying Seismic Sequence 9, bound by SB9 and SB10
- Figure 4.50 Sequence Boundary 10 Time-Structure Map
- Figure 4.51 SB9 SB10 Isochron Map
- Figure 4.52 Seismic Sequence 9 palaeo-geography map
- **Figure 4.53** Seismic section displaying Seismic Sequence 10, bound by SB10 and SB11

- **Figure 4.54** Sequence Boundary 11 Time-Structure Map
- Figure 4.55 SB10 SB11 Isochron Map
- **Figure 4.56** Seismic Sequence 10 palaeo-geography map
- **Figure 4.57** Seismic section displaying Seismic Sequence 11, bound by SB11 and SB12
- Figure 4.58 Gamma ray response at South Pepper-1 for Seismic Sequence 11.
- Figure 4.59 Sequence Boundary 12 Time-Structure Map
- Figure 4.60 SB11 SB12 Isochron Map
- Figure 4.61 Seismic Sequence 11 (TIME 1) palaeo-geography map
- Figure 4.62 Seismic Sequence 11 (TIME 2) palaeo-geography map
- Figure 4.63 Seismic Sequence 11 (TIME 3) palaeo-geography map
- **Figure 5.1** Key high-resolution surfaces for Seismic Sequence 1
- **Figure 5.2** Key reflection terminations for Seismic Sequence 1 on inline 4058
- **Figure 5.3** High-resolution sequence stratigraphy interpretation for Seismic
- Sequence 1
- Figure 5.4 Isochron map of high-resolution LST identified
- **Figure 5.5** Time-slices through high-resolution packages identified, note channelised features corresponding to the lowstand systems tracts mapped out
- **Table 6.1** Barrow Sub-basin Petroleum Play Elements Summary
- **Figure 6.1** Summary of Flinders 3D potential play types

**Figure 6.2** Potential intra-Barrow Group slope lead, key risk is presence of top seal

- Figure 6.3 Potential intra-Barrow Group slope lead, key risk is top seal
- Figure 6.4 Structural leads identified in the study area
- Figure 6.5 Canyoning feature identified in study area
- Figure 6.6 Lead location map
- Figure 7.1 Shelf Depocentre Evolution of intra-Barrow Group schematic
- **Figure 7.2** N-NE Shelf Progradation and Rotation during intra-Barrow Group deposition
- Figure 7.3 Alaskan Analogue: Nanushuk and Torok Formations
- Figure 7.4 Alaskan Analogue comparison to intra-Barrow Group
- **Figure 7.5** Features of a falling-stage, Barremian shelf-edge collapse and upper canyon (Kvalvagen, Spitsbergen
- Figure 7.6 A. Cross-section through Columbus Basin 4th order sequence between maximum flooding surfaces below and above sand-rich interval defined by a basal unconformity. B. Seismic line through Columbus Basin displaying shelf-edge trajectory, sigmoid oblique clinoforms and transiting of the palaeo-Orinoco Delta, Trinidad

### **ACKNOWLEDGMENTS**

The author would like to acknowledge Apache Energy Australia for their financial and technical support of the Masters project. In particular Kerri Auld of Apache Energy for all her help and encouragement. The author would also like to acknowledgement Tobi Payenberg and Simon Lang for their supervisory roles and involvement in the project.

Abstract 14

### **ABSTRACT**

Regional exploration in the Barrow Sub-basin has dominantly focused on structural traps in the Top Barrow Group. A lack of recent discoveries has focused attention more towards the economic potential of the Early Cretaceous intra-Barrow Group plays. The aim of this study was to interpret the seismic sequence stratigraphy and depositional history of the intra-Barrow Group within the Barrow Sub-basin, with emphasis on the identification of stratigraphic traps and potential locations of economic seal/reservoir couplets within the study area.

The study area lies south of Barrow Island, and contains the topsets, foresets and toesets of the 'Barrow delta', which are an amalgamation of Mesozoic sand-prone fluvial, coastal deltaic and deepwater successions. The final stages of the break-up of Gondwana impacted on the structural development of the Barrow Sub-basin, when a large shelf-margin fluvial/deltaic system built out toward the north to northeast, contributing to northerly shelf margin accretion, with large-scale clinoform features and associated depositional environments.

The dataset comprises the Flinders 3D seismic survey 1267 km² and 35 well logs. Eleven seismic sequences are identified and a seismic sequence stratigraphic framework tied to the wells has been developed, via detailed sequence stratigraphic mapping, integrated with 3D visualisation techniques with the use of Petrel. These eleven second-order sequences are further subdivided into lowstand, transgressive and highstand systems tracts. The movement of the palaeo-shelf break, slope and base of slope can be traced throughout each sequence, displaying an overall trend of building out in a north to northeast direction. A series of palaeo-geographic maps for each sequence has been developed to illustrate the basin's evolution. The seismic sequences identified display progradation, followed by aggradation, then downstepping, concluding with progradation and aggradation.

A high-resolution sequence stratigraphic study of Seismic Sequence 1 showed that several higher-order sequences can be identified, including numerous lowstand systems wedges, along with associated channel features, which could be targeted as new plays. The sequence stratigraphic framework developed, palaeo-geographic reconstructions and all other interpretations made for this project have been integrated to assess the prospectivity of the intra-Barrow Group over the study area, resulting in the identification of a number of leads and prospectivity summaries for each of the 11 Seismic Sequences identified within the intra-Barrow Group.