

**Insulin sensitivity  
and nutrient utilisation in skeletal muscle**

by

**Yan Yan Lam**

Thesis submitted in fulfilment of the requirement for  
the Degree of Doctor of Philosophy

Discipline of Medicine

School of Medicine

Faculty of Health Sciences

University of Adelaide, South Australia, Australia

November 2009

## Bibliography

---

- Aas, V., Rokling-Andersen, M. H., Kase, E. T., Thoresen, G. H. and Rustan, A. C. (2006). "Eicosapentaenoic acid (20:5 n-3) increases fatty acid and glucose uptake in cultured human skeletal muscle cells." J Lipid Res **47**(2): 366-74.
- Akobeng, A. K. (2008). "Review article: the evidence base for interventions used to maintain remission in Crohn's disease." Aliment Pharmacol Ther **27**(1): 11-8.
- Al-Khalili, L., Bouzakri, K., Glund, S., Lonqvist, F., Koistinen, H. A. and Krook, A. (2006). "Signaling specificity of interleukin-6 action on glucose and lipid metabolism in skeletal muscle." Mol Endocrinol **20**(12): 3364-75.
- Al-Khalili, L., Krook, A., Zierath, J. R. and Cartee, G. D. (2004). "Prior serum- and AICAR-induced AMPK activation in primary human myocytes does not lead to subsequent increase in insulin-stimulated glucose uptake." Am J Physiol Endocrinol Metab **287**(3): E553-7.
- Alessi, M. C. and Juhan-Vague, I. (2006). "PAI-1 and the metabolic syndrome: links, causes, and consequences." Arterioscler Thromb Vasc Biol **26**(10): 2200-7.
- Antuna-Puente, B., Feve, B., Fellahi, S. and Bastard, J. P. (2008). "Adipokines: the missing link between insulin resistance and obesity." Diabetes Metab **34**(1): 2-11.
- Apovian, C. M., Bigornia, S., Mott, M., Meyers, M. R., Ulloor, J., Gagua, M., McDonnell, M., Hess, D., Joseph, L. and Gokce, N. (2008). "Adipose macrophage infiltration is associated with insulin resistance and vascular endothelial dysfunction in obese subjects." Arterioscler Thromb Vasc Biol **28**(9): 1654-9.
- Ariga, T., Jarvis, W. D. and Yu, R. K. (1998). "Role of sphingolipid-mediated cell death in neurodegenerative diseases." J Lipid Res **39**(1): 1-16.
- Arkan, M. C., Hevener, A. L., Greten, F. R., Maeda, S., Li, Z. W., Long, J. M., Wynshaw-Boris, A., Poli, G., Olefsky, J. and Karin, M. (2005). "IKK-beta links inflammation to obesity-induced insulin resistance." Nat Med **11**(2): 191-8.
- Ashburner, M., Ball, C. A., Blake, J. A., Botstein, D., Butler, H., Cherry, J. M., Davis, A. P., Dolinski, K., Dwight, S. S., Eppig, J. T., Harris, M. A., Hill, D. P., Issel-Tarver, L., Kasarskis, A., Lewis, S., Matese, J. C., Richardson, J. E., Ringwald, M., Rubin, G. M. and Sherlock, G. (2000). "Gene ontology: tool for the unification of biology. The Gene Ontology Consortium." Nat Genet **25**(1): 25-9.

- Atlantis, E., Martin, S. A., Haren, M. T., Taylor, A. W. and Wittert, G. A. (2009). "Inverse associations between muscle mass, strength, and the metabolic syndrome." Metabolism.
- Austin, R. L., Rune, A., Bouzakri, K., Zierath, J. R. and Krook, A. (2008). "siRNA-mediated reduction of inhibitor of nuclear factor-kappaB kinase prevents tumor necrosis factor-alpha-induced insulin resistance in human skeletal muscle." Diabetes **57**(8): 2066-73.
- Azuma, K., Katsukawa, F., Oguchi, S., Murata, M., Yamazaki, H., Shimada, A. and Saruta, T. (2003). "Correlation between serum resistin level and adiposity in obese individuals." Obes Res **11**(8): 997-1001.
- Bader, A., Knop, E., Kern, A., Boker, K., Fruhauf, N., Crome, O., Esselmann, H., Pape, C., Kempka, G. and Sewing, K. F. (1996). "3-D coculture of hepatic sinusoidal cells with primary hepatocytes-design of an organotypical model." Exp Cell Res **226**(1): 223-33.
- Barzilay, J. I., Cotsonis, G. A., Walston, J., Schwartz, A. V., Satterfield, S., Miljkovic, I. and Harris, T. B. (2009). "Insulin resistance is associated with decreased quadriceps muscle strength in nondiabetic adults aged  $\geq 70$  years." Diabetes Care **32**(4): 736-8.
- Bastard, J. P., Maachi, M., Lagathu, C., Kim, M. J., Caron, M., Vidal, H., Capeau, J. and Feve, B. (2006). "Recent advances in the relationship between obesity, inflammation, and insulin resistance." Eur Cytokine Netw **17**(1): 4-12.
- Bastard, J. P., Pieroni, L. and Hainque, B. (2000). "Relationship between plasma plasminogen activator inhibitor 1 and insulin resistance." Diabetes Metab Res Rev **16**(3): 192-201.
- Bastelica, D., Morange, P., Berthet, B., Borghi, H., Lacroix, O., Grino, M., Juhan-Vague, I. and Alessi, M. C. (2002). "Stromal cells are the main plasminogen activator inhibitor-1-producing cells in human fat: evidence of differences between visceral and subcutaneous deposits." Arterioscler Thromb Vasc Biol **22**(1): 173-8.
- Batetta, B., Griinari, M., Carta, G., Murru, E., Ligresti, A., Cordeddu, L., Giordano, E., Sanna, F., Bisogno, T., Uda, S., Collu, M., Bruheim, I., Di Marzo, V. and Banni, S. (2009). "Endocannabinoids may mediate the ability of (n-3) fatty acids to reduce ectopic fat and inflammatory mediators in obese Zucker rats." J Nutr **139**(8): 1495-501.

- Beguino, F., Kahn, C. R., Moses, A. C. and Smith, R. J. (1986). "The development of insulin receptors and responsiveness is an early marker of differentiation in the muscle cell line L6." Endocrinology **118**(1): 446-55.
- Benjamini, Y. and Hochberg, Y. (1995). "Controlling the false discovery rate: a practical and powerful approach to multiple testing." J R Statist Soc B **57**: 289-300.
- Berchtold, M. W., Brinkmeier, H. and Muntener, M. (2000). "Calcium ion in skeletal muscle: its crucial role for muscle function, plasticity, and disease." Physiol Rev **80**(3): 1215-65.
- Berggren, J. R., Boyle, K. E., Chapman, W. H. and Houmard, J. A. (2008). "Skeletal muscle lipid oxidation and obesity: influence of weight loss and exercise." Am J Physiol Endocrinol Metab **294**(4): E726-32.
- Beydoun, M. A., Kaufman, J. S., Satia, J. A., Rosamond, W. and Folsom, A. R. (2007). "Plasma n-3 fatty acids and the risk of cognitive decline in older adults: the Atherosclerosis Risk in Communities Study." Am J Clin Nutr **85**(4): 1103-11.
- Bezaire, V., Bruce, C. R., Heigenhauser, G. J., Tandon, N. N., Glatz, J. F., Luiken, J. J., Bonen, A. and Spriet, L. L. (2006). "Identification of fatty acid translocase on human skeletal muscle mitochondrial membranes: essential role in fatty acid oxidation." Am J Physiol Endocrinol Metab **290**(3): E509-15.
- Blau, H. M. and Wester, C. (1981). "Isolation and characterization of human muscle cells." Proceedings of the National Academy of Sciences of the United States of America **78**: 5623-5627.
- Blau, H. M. and Wester, C. (1981). "Isolation and characterization of human muscle cells." Proceedings of the National Academy of Sciences of the United States of America **78**(9): 5623-5627.
- Boden, G. (2009). "Endoplasmic reticulum stress: another link between obesity and insulin resistance/inflammation?" Diabetes **58**(3): 518-9.
- Bonavaud, S., Agbulut, O., Nizard, R., D'Honneur, G., Mouly, V. and Butler-Browne, G. (2001). "A discrepancy resolved: human satellite cells are not preprogrammed to fast and slow lineages." Neuromuscul Disord **11**(8): 747-52.
- Bonavaud, S., Thibert, P., Gherardi, R. K. and Barlovatz-Meimon, G. (1997). "Primary human muscle satellite cell culture: variations of cell yield, proliferation and differentiation rates according to age and sex of donors, site of muscle biopsy, and delay before processing." Biol Cell **89**(3): 233-40.

- Bonen, A., Han, X. X., Habets, D. D., Febbraio, M., Glatz, J. F. and Luiken, J. J. (2007). "A null mutation in skeletal muscle FAT/CD36 reveals its essential role in insulin- and AICAR-stimulated fatty acid metabolism." Am J Physiol Endocrinol Metab **292**(6): E1740-9.
- Bonen, A., Parolin, M. L., Steinberg, G. R., Calles-Escandon, J., Tandon, N. N., Glatz, J. F., Luiken, J. J., Heigenhauser, G. J. and Dyck, D. J. (2004). "Triacylglycerol accumulation in human obesity and type 2 diabetes is associated with increased rates of skeletal muscle fatty acid transport and increased sarcolemmal FAT/CD36." Faseb J **18**(10): 1144-6.
- Borkman, M., Storlien, L. H., Pan, D. A., Jenkins, A. B., Chisholm, D. J. and Campbell, L. V. (1993). "The relation between insulin sensitivity and the fatty-acid composition of skeletal-muscle phospholipids." N Engl J Med **328**(4): 238-44.
- Borst, S. E., Lee, Y., Conover, C. F., Shek, E. W. and Bagby, G. J. (2004). "Neutralization of tumor necrosis factor-alpha reverses insulin resistance in skeletal muscle but not adipose tissue." Am J Physiol Endocrinol Metab **287**(5): E934-8.
- Bouche, C., Serdy, S., Kahn, C. R. and Goldfine, A. B. (2004). "The cellular fate of glucose and its relevance in type 2 diabetes." Endocr Rev **25**(5): 807-30.
- Brownsey, R. W., Boone, A. N., Elliott, J. E., Kulpa, J. E. and Lee, W. M. (2006). "Regulation of acetyl-CoA carboxylase." Biochem Soc Trans **34**(Pt 2): 223-7.
- Bruce, C. R., Hoy, A. J., Turner, N., Watt, M. J., Allen, T. L., Carpenter, K., Cooney, G. J., Febbraio, M. A. and Kraegen, E. W. (2009). "Overexpression of carnitine palmitoyltransferase-1 in skeletal muscle is sufficient to enhance fatty acid oxidation and improve high-fat diet-induced insulin resistance." Diabetes **58**(3): 550-8.
- Bruce, C. R., Mertz, V. A., Heigenhauser, G. J. and Dyck, D. J. (2005). "The stimulatory effect of globular adiponectin on insulin-stimulated glucose uptake and fatty acid oxidation is impaired in skeletal muscle from obese subjects." Diabetes **54**(11): 3154-60.
- Bruce, C. R., Thrush, A. B., Mertz, V. A., Bezaire, V., Chabowski, A., Heigenhauser, G. J. and Dyck, D. J. (2006). "Endurance training in obese humans improves glucose tolerance and mitochondrial fatty acid oxidation and alters muscle lipid content." Am J Physiol Endocrinol Metab **291**(1): E99-E107.

- Bruun, J. M., Lihn, A. S., Madan, A. K., Pedersen, S. B., Schiott, K. M., Fain, J. N. and Richelsen, B. (2004). "Higher production of IL-8 in visceral vs. subcutaneous adipose tissue. Implication of nonadipose cells in adipose tissue." Am J Physiol Endocrinol Metab **286**(1): E8-13.
- Bruun, J. M., Lihn, A. S., Pedersen, S. B. and Richelsen, B. (2005). "Monocyte chemoattractant protein-1 release is higher in visceral than subcutaneous human adipose tissue (AT): implication of macrophages resident in the AT." J Clin Endocrinol Metab **90**(4): 2282-9.
- Bruun, J. M., Verdich, C., Toubro, S., Astrup, A. and Richelsen, B. (2003). "Association between measures of insulin sensitivity and circulating levels of interleukin-8, interleukin-6 and tumor necrosis factor-alpha. Effect of weight loss in obese men." Eur J Endocrinol **148**(5): 535-42.
- Buettner, R., Parhofer, K. G., Woenckhaus, M., Wrede, C. E., Kunz-Schughart, L. A., Scholmerich, J. and Bollheimer, L. C. (2006). "Defining high-fat-diet rat models: metabolic and molecular effects of different fat types." J Mol Endocrinol **36**(3): 485-501.
- Buja, L. M., Eigenbrodt, M. L. and Eigenbrodt, E. H. (1993). "Apoptosis and necrosis. Basic types and mechanisms of cell death." Arch Pathol Lab Med **117**(12): 1208-14.
- Butler, L. M., Wang, R., Koh, W. P., Stern, M. C., Yuan, J. M. and Yu, M. C. (2009). "Marine n-3 and saturated fatty acids in relation to risk of colorectal cancer in Singapore Chinese: a prospective study." Int J Cancer **124**(3): 678-86.
- Cai, D., Yuan, M., Frantz, D. F., Melendez, P. A., Hansen, L., Lee, J. and Shoelson, S. E. (2005). "Local and systemic insulin resistance resulting from hepatic activation of IKK-beta and NF-kappaB." Nat Med **11**(2): 183-90.
- Cameron-Smith, D., Burke, L. M., Angus, D. J., Tunstall, R. J., Cox, G. R., Bonen, A., Hawley, J. A. and Hargreaves, M. (2003). "A short-term, high-fat diet up-regulates lipid metabolism and gene expression in human skeletal muscle." Am J Clin Nutr **77**(2): 313-8.
- Camussi, G., Albano, E., Tetta, C. and Bussolino, F. (1991). "The molecular action of tumor necrosis factor-alpha." Eur J Biochem **202**(1): 3-14.
- Cancello, R. and Clement, K. (2006). "Is obesity an inflammatory illness? Role of low-grade inflammation and macrophage infiltration in human white adipose tissue." Bjog **113**(10): 1141-7.

- Cancello, R., Tordjman, J., Poitou, C., Guilhem, G., Bouillot, J. L., Hugol, D., Coussieu, C., Basdevant, A., Bar Hen, A., Bedossa, P., Guerre-Millo, M. and Clement, K. (2006). "Increased infiltration of macrophages in omental adipose tissue is associated with marked hepatic lesions in morbid human obesity." Diabetes **55**(6): 1554-61.
- Carr, D. B., Utzschneider, K. M., Hull, R. L., Kodama, K., Retzlaff, B. M., Brunzell, J. D., Shofer, J. B., Fish, B. E., Knopp, R. H. and Kahn, S. E. (2004). "Intra-abdominal fat is a major determinant of the National Cholesterol Education Program Adult Treatment Panel III criteria for the metabolic syndrome." Diabetes **53**(8): 2087-94.
- Cartier, A., Lemieux, I., Almeras, N., Tremblay, A., Bergeron, J. and Despres, J. P. (2008). "Visceral obesity and plasma glucose-insulin homeostasis: contributions of interleukin-6 and tumor necrosis factor-alpha in men." J Clin Endocrinol Metab **93**(5): 1931-8.
- Casabiell, X., Pineiro, V., Peino, R., Lage, M., Camina, J., Gallego, R., Vallejo, L. G., Dieguez, C. and Casanueva, F. F. (1998). "Gender differences in both spontaneous and stimulated leptin secretion by human omental adipose tissue in vitro: dexamethasone and estradiol stimulate leptin release in women, but not in men." J Clin Endocrinol Metab **83**(6): 2149-55.
- Casas, Y. G., Schiller, B. C., DeSouza, C. A. and Seals, D. R. (2001). "Total and regional body composition across age in healthy Hispanic and white women of similar socioeconomic status." Am J Clin Nutr **73**(1): 13-8.
- Catley, M. C., Cambridge, L. M., Nasuhara, Y., Ito, K., Chivers, J. E., Beaton, A., Holden, N. S., Bergmann, M. W., Barnes, P. J. and Newton, R. (2004). "Inhibitors of protein kinase C (PKC) prevent activated transcription: role of events downstream of NF-kappaB DNA binding." J Biol Chem **279**(18): 18457-66.
- Ceddia, R. B., Somwar, R., Maida, A., Fang, X., Bikopoulos, G. and Sweeney, G. (2005). "Globular adiponectin increases GLUT4 translocation and glucose uptake but reduces glycogen synthesis in rat skeletal muscle cells." Diabetologia **48**(1): 132-9.
- Chavez, J. A., Knotts, T. A., Wang, L. P., Li, G., Dobrowsky, R. T., Florant, G. L. and Summers, S. A. (2003). "A role for ceramide, but not diacylglycerol, in the

- antagonism of insulin signal transduction by saturated fatty acids." J Biol Chem **278**(12): 10297-303.
- Chen, Z. P., Stephens, T. J., Murthy, S., Canny, B. J., Hargreaves, M., Witters, L. A., Kemp, B. E. and McConell, G. K. (2003). "Effect of exercise intensity on skeletal muscle AMPK signaling in humans." Diabetes **52**(9): 2205-12.
- Christie, W. W. (1989). Gas Chromatography and Lipids: a Practical Guide, The Oily Press Ltd, Ayr.
- Ciaraldi, T. P., Abrams, L., Nikoulina, S., Mudaliar, S. and Henry, R. R. (1995). "Glucose transport in cultured human skeletal muscle cells. Regulation by insulin and glucose in nondiabetic and non-insulin-dependent diabetes mellitus subjects." J Clin Invest **96**(6): 2820-7.
- Clarke, J. U. (1998). "Evaluation of censored data methods to allow statistical comparisons among very small samples with below detection limit observations." Environ. Sci. Technol. **32**(1): 177-183.
- Clore, J. N., Stillman, J. S., Li, J., O'Keefe, S. J. and Levy, J. R. (2004). "Differential effect of saturated and polyunsaturated fatty acids on hepatic glucose metabolism in humans." Am J Physiol Endocrinol Metab **287**(2): E358-65.
- Cnop, M., Landchild, M. J., Vidal, J., Havel, P. J., Knowles, N. G., Carr, D. R., Wang, F., Hull, R. L., Boyko, E. J., Retzlaff, B. M., Walden, C. E., Knopp, R. H. and Kahn, S. E. (2002). "The concurrent accumulation of intra-abdominal and subcutaneous fat explains the association between insulin resistance and plasma leptin concentrations : distinct metabolic effects of two fat compartments." Diabetes **51**(4): 1005-15.
- Colberg, S. R., Simoneau, J. A., Thaete, F. L. and Kelley, D. E. (1995). "Skeletal muscle utilization of free fatty acids in women with visceral obesity." J Clin Invest **95**(4): 1846-53.
- Coleman, R. A. and Lee, D. P. (2004). "Enzymes of triacylglycerol synthesis and their regulation." Prog Lipid Res **43**(2): 134-76.
- Coll, T., Eyre, E., Rodriguez-Calvo, R., Palomer, X., Sanchez, R. M., Merlos, M., Laguna, J. C. and Vazquez-Carrera, M. (2008). "Oleate reverses palmitate-induced insulin resistance and inflammation in skeletal muscle cells." J Biol Chem **283**(17): 11107-16.
- Coll, T., Jove, M., Rodriguez-Calvo, R., Eyre, E., Palomer, X., Sanchez, R. M., Merlos, M., Laguna, J. C. and Vazquez-Carrera, M. (2006). "Palmitate-mediated



- downregulation of peroxisome proliferator-activated receptor-gamma coactivator 1alpha in skeletal muscle cells involves MEK1/2 and nuclear factor-kappaB activation." *Diabetes* **55**(10): 2779-87.
- Corcoran, M. P., Lamon-Fava, S. and Fielding, R. A. (2007). "Skeletal muscle lipid deposition and insulin resistance: effect of dietary fatty acids and exercise." *Am J Clin Nutr* **85**(3): 662-77.
- Correia, M. L. and Haynes, W. G. (2006). "A role for plasminogen activator inhibitor-1 in obesity: from pie to PAI?" *Arterioscler Thromb Vasc Biol* **26**(10): 2183-5.
- Costford, S. R., Seifert, E. L., Bezaire, V., M, F. G., Bevilacqua, L., Gowing, A. and Harper, M. E. (2007). "The energetic implications of uncoupling protein-3 in skeletal muscle." *Appl Physiol Nutr Metab* **32**(5): 884-94.
- Crook, M. (2004). "Type 2 diabetes mellitus: a disease of the innate immune system? An update." *Diabet Med* **21**(3): 203-7.
- Crunkhorn, S., Dearie, F., Mantzoros, C., Gami, H., da Silva, W. S., Espinoza, D., Faucette, R., Barry, K., Bianco, A. C. and Patti, M. E. (2007). "Peroxisome proliferator activator receptor gamma coactivator-1 expression is reduced in obesity: potential pathogenic role of saturated fatty acids and p38 mitogen-activated protein kinase activation." *J Biol Chem* **282**(21): 15439-50.
- Culhane, A. C., Thioulouse, J., Perriere, G. and Higgins, D. G. (2005). "MADE4: an R package for multivariate analysis of gene expression data." *Bioinformatics* **21**(11): 2789-90.
- Curat, C. A., Wegner, V., Sengenès, C., Miranville, A., Tonus, C., Busse, R. and Bouloumie, A. (2006). "Macrophages in human visceral adipose tissue: increased accumulation in obesity and a source of resistin and visfatin." *Diabetologia* **49**(4): 744-7.
- Curtis, R. K., Oresic, M. and Vidal-Puig, A. (2005). "Pathways to the analysis of microarray data." *Trends Biotechnol* **23**(8): 429-35.
- Cuzzocrea, S., Rossi, A., Pisano, B., Di Paola, R., Genovese, T., Patel, N. S., Cuzzocrea, E., Ianaro, A., Sautebin, L., Fulia, F., Chatterjee, P. K., Caputi, A. P. and Thiemermann, C. (2003). "Pyrrolidine dithiocarbamate attenuates the development of organ failure induced by zymosan in mice." *Intensive Care Med* **29**(11): 2016-25.
- Cypess, A. M., Lehman, S., Williams, G., Tal, I., Rodman, D., Goldfine, A. B., Kuo, F. C., Palmer, E. L., Tseng, Y. H., Doria, A., Kolodny, G. M. and Kahn, C. R.

- (2009). "Identification and importance of brown adipose tissue in adult humans." N Engl J Med **360**(15): 1509-17.
- Dann, S. G., Selvaraj, A. and Thomas, G. (2007). "mTOR Complex1-S6K1 signaling: at the crossroads of obesity, diabetes and cancer." Trends Mol Med **13**(6): 252-9.
- Das, S. K., Chu, W. S., Mondal, A. K., Sharma, N. K., Kern, P. A., Rasouli, N. and Elbein, S. C. (2008). "Effect of pioglitazone treatment on endoplasmic reticulum stress response in human adipose and in palmitate-induced stress in human liver and adipose cell lines." Am J Physiol Endocrinol Metab **295**(2): E393-400.
- de Alvaro, C., Teruel, T., Hernandez, R. and Lorenzo, M. (2004). "Tumor necrosis factor alpha produces insulin resistance in skeletal muscle by activation of inhibitor kappaB kinase in a p38 MAPK-dependent manner." J Biol Chem **279**(17): 17070-8.
- de Beaudrap, P., Witten, G., Biltz, G. and Perrier, E. (2006). "Mechanistic model of fuel selection in the muscle." J Theor Biol **242**(1): 151-63.
- de Ferranti, S. and Mozaffarian, D. (2008). "The perfect storm: obesity, adipocyte dysfunction, and metabolic consequences." Clin Chem **54**(6): 945-55.
- De Glisezinski, I., Crampes, F., Harant, I., Berlan, M., Hejnova, J., Langin, D., Riviere, D. and Stich, V. (1998). "Endurance training changes in lipolytic responsiveness of obese adipose tissue." Am J Physiol **275**(6 Pt 1): E951-6.
- de Luca, C. and Olefsky, J. M. (2008). "Inflammation and insulin resistance." FEBS Lett **582**(1): 97-105.
- DeLany, J. P., Windhauser, M. M., Champagne, C. M. and Bray, G. A. (2000). "Differential oxidation of individual dietary fatty acids in humans." Am J Clin Nutr **72**(4): 905-11.
- Delarue, J., LeFoll, C., Corporeau, C. and Lucas, D. (2004). "N-3 long chain polyunsaturated fatty acids: a nutritional tool to prevent insulin resistance associated to type 2 diabetes and obesity?" Reprod Nutr Dev **44**(3): 289-99.
- Delibegovic, M., Zimmer, D., Kauffman, C., Rak, K., Hong, E. G., Cho, Y. R., Kim, J. K., Kahn, B. B., Neel, B. G. and Bence, K. K. (2009). "Liver-specific deletion of protein-tyrosine phosphatase 1B (PTP1B) improves metabolic syndrome and attenuates diet-induced endoplasmic reticulum stress." Diabetes **58**(3): 590-9.
- Dietze, D., Koenen, M., Rohrig, K., Horikoshi, H., Hauner, H. and Eckel, J. (2002). "Impairment of insulin signaling in human skeletal muscle cells by co-culture with human adipocytes." Diabetes **51**(8): 2369-76.

- Dietze, D., Ramrath, S., Ritzeler, O., Tennagels, N., Hauner, H. and Eckel, J. (2004). "Inhibitor kappaB kinase is involved in the paracrine crosstalk between human fat and muscle cells." Int J Obes Relat Metab Disord **28**(8): 985-92.
- Dobrzyn, A. and Dobrzyn, P. (2006). "Stearoyl-CoA desaturase--a new player in skeletal muscle metabolism regulation." J Physiol Pharmacol **57 Suppl 10**: 31-42.
- Dobrzyn, A., Dobrzyn, P., Lee, S. H., Miyazaki, M., Cohen, P., Asilmaz, E., Hardie, D. G., Friedman, J. M. and Ntambi, J. M. (2005). "Stearoyl-CoA desaturase-1 deficiency reduces ceramide synthesis by downregulating serine palmitoyltransferase and increasing beta-oxidation in skeletal muscle." Am J Physiol Endocrinol Metab **288**(3): E599-607.
- Dobrzyn, A., Dobrzyn, P., Miyazaki, M. and Ntambi, J. M. (2005). "Polyunsaturated fatty acids do not activate AMP-activated protein kinase in mouse tissues." Biochem Biophys Res Commun **332**(3): 892-6.
- Dobrzyn, P., Dobrzyn, A., Miyazaki, M., Cohen, P., Asilmaz, E., Hardie, D. G., Friedman, J. M. and Ntambi, J. M. (2004). "Stearoyl-CoA desaturase 1 deficiency increases fatty acid oxidation by activating AMP-activated protein kinase in liver." Proc Natl Acad Sci U S A **101**(17): 6409-14.
- Dodson, M. V., Vierck, J. L., Hossner, K. L., Byrne, K. and McNamara, J. P. (1997). "The development and utility of a defined muscle and fat co-culture system." Tissue Cell **29**(5): 517-24.
- Eberle, D., Hegarty, B., Bossard, P., Ferre, P. and Foufelle, F. (2004). "SREBP transcription factors: master regulators of lipid homeostasis." Biochimie **86**(11): 839-48.
- Elmore, S. (2007). "Apoptosis: a review of programmed cell death." Toxicol Pathol **35**(4): 495-516.
- Engler, M. M., Bellenger-Germain, S. H., Engler, M. B., Narce, M. M. and Poisson, J. P. (2000). "Dietary docosahexaenoic acid affects stearic acid desaturation in spontaneously hypertensive rats." Lipids **35**(9): 1011-5.
- Fain, J. N., Cheema, P. S., Bahouth, S. W. and Lloyd Hiler, M. (2003). "Resistin release by human adipose tissue explants in primary culture." Biochem Biophys Res Commun **300**(3): 674-8.
- Fain, J. N., Madan, A. K., Hiler, M. L., Cheema, P. and Bahouth, S. W. (2004). "Comparison of the release of adipokines by adipose tissue, adipose tissue matrix,

- and adipocytes from visceral and subcutaneous abdominal adipose tissues of obese humans." *Endocrinology* **145**(5): 2273-82.
- Fain, J. N., Tichansky, D. S. and Madan, A. K. (2006). "Most of the interleukin 1 receptor antagonist, cathepsin S, macrophage migration inhibitory factor, nerve growth factor, and interleukin 18 release by explants of human adipose tissue is by the non-fat cells, not by the adipocytes." *Metabolism* **55**(8): 1113-21.
- Fediuc, S., Gaidhu, M. P. and Ceddia, R. B. (2006). "Regulation of AMP-activated protein kinase and acetyl-CoA carboxylase phosphorylation by palmitate in skeletal muscle cells." *J Lipid Res* **47**(2): 412-20.
- Fediuc, S., Pimenta, A. S., Gaidhu, M. P. and Ceddia, R. B. (2008). "Activation of AMP-activated protein kinase, inhibition of pyruvate dehydrogenase activity, and redistribution of substrate partitioning mediate the acute insulin-sensitizing effects of troglitazone in skeletal muscle cells." *J Cell Physiol* **215**(2): 392-400.
- Ferre, P. (2004). "The biology of peroxisome proliferator-activated receptors: relationship with lipid metabolism and insulin sensitivity." *Diabetes* **53 Suppl 1**: S43-50.
- Feskens, E. J., Bowles, C. H. and Kromhout, D. (1991). "Inverse association between fish intake and risk of glucose intolerance in normoglycemic elderly men and women." *Diabetes Care* **14**(11): 935-41.
- Feuerstein, G. Z. and Young, P. R. (2000). "Apoptosis in cardiac diseases: stress- and mitogen-activated signaling pathways." *Cardiovasc Res* **45**(3): 560-9.
- Field, F. J., Born, E., Murthy, S. and Mathur, S. N. (2002). "Polyunsaturated fatty acids decrease the expression of sterol regulatory element-binding protein-1 in CaCo-2 cells: effect on fatty acid synthesis and triacylglycerol transport." *Biochem J* **368**(Pt 3): 855-64.
- Fisher, M., Levine, P. H., Weiner, B. H., Johnson, M. H., Doyle, E. M., Ellis, P. A. and Hoogasian, J. J. (1990). "Dietary n-3 fatty acid supplementation reduces superoxide production and chemiluminescence in a monocyte-enriched preparation of leukocytes." *Am J Clin Nutr* **51**(5): 804-8.
- Fisher, R. M. and Gertow, K. (2005). "Fatty acid transport proteins and insulin resistance." *Curr Opin Lipidol* **16**(2): 173-8.
- Flamment, M., Gueguen, N., Wetterwald, C., Simard, G., Malthiery, Y. and Ducluzeau, P. H. (2009). "Effects of the cannabinoid CB1 antagonist, rimonabant, on hepatic

- mitochondrial function in rats fed a high fat diet." Am J Physiol Endocrinol Metab.
- Flati, V., Pasini, E., D'Antona, G., Speca, S., Toniato, E. and Martinotti, S. (2008). "Intracellular mechanisms of metabolism regulation: the role of signaling via the mammalian target of rapamycin pathway and other routes." Am J Cardiol **101**(11A): 16E-21E.
- Fleischman, A., Shoelson, S. E., Bernier, R. and Goldfine, A. B. (2008). "Salsalate improves glycemia and inflammatory parameters in obese young adults." Diabetes Care **31**(2): 289-94.
- Fleith, M. and Clandinin, M. T. (2005). "Dietary PUFA for preterm and term infants: review of clinical studies." Crit Rev Food Sci Nutr **45**(3): 205-29.
- Folch, J., Lees, M. and Sloane Stanley, G. H. (1957). "A simple method for the isolation and purification of total lipides from animal tissues." J Biol Chem **226**(1): 497-509.
- Forman, B. M., Chen, J. and Evans, R. M. (1997). "Hypolipidemic drugs, polyunsaturated fatty acids, and eicosanoids are ligands for peroxisome proliferator-activated receptors alpha and delta." Proc Natl Acad Sci U S A **94**(9): 4312-7.
- Fox, C. S., Massaro, J. M., Hoffmann, U., Pou, K. M., Maurovich-Horvat, P., Liu, C. Y., Vasan, R. S., Murabito, J. M., Meigs, J. B., Cupples, L. A., D'Agostino, R. B., Sr. and O'Donnell, C. J. (2007). "Abdominal visceral and subcutaneous adipose tissue compartments: association with metabolic risk factors in the Framingham Heart Study." Circulation **116**(1): 39-48.
- Freund-Levi, Y., Eriksdotter-Jonhagen, M., Cederholm, T., Basun, H., Faxen-Irving, G., Garlind, A., Vedin, I., Vessby, B., Wahlund, L. O. and Palmblad, J. (2006). "Omega-3 fatty acid treatment in 174 patients with mild to moderate Alzheimer disease: OmegAD study: a randomized double-blind trial." Arch Neurol **63**(10): 1402-8.
- Fried, S. K., Bunkin, D. A. and Greenberg, A. S. (1998). "Omental and subcutaneous adipose tissues of obese subjects release interleukin-6: depot difference and regulation by glucocorticoid." J Clin Endocrinol Metab **83**(3): 847-50.
- Fried, S. K., Russell, C. D., Grauso, N. L. and Brodin, R. E. (1993). "Lipoprotein lipase regulation by insulin and glucocorticoid in subcutaneous and omental adipose tissues of obese women and men." J Clin Invest **92**(5): 2191-8.

- Fruhbeck, G. and Salvador, J. (2000). "Relation between leptin and the regulation of glucose metabolism." Diabetologia **43**(1): 3-12.
- Fukuyama, Y., Ohta, K., Okoshi, R., Suehara, M., Kizaki, H. and Nakagawa, K. (2007). "Hypoxia induces expression and activation of AMPK in rat dental pulp cells." J Dent Res **86**(9): 903-7.
- Galgani, J. E., Moro, C. and Ravussin, E. (2008). "Metabolic flexibility and insulin resistance." Am J Physiol Endocrinol Metab **295**(5): E1009-17.
- Gao, Z., Zuberi, A., Quon, M. J., Dong, Z. and Ye, J. (2003). "Aspirin inhibits serine phosphorylation of insulin receptor substrate 1 in tumor necrosis factor-treated cells through targeting multiple serine kinases." J Biol Chem **278**(27): 24944-50.
- Garnier, A., Fortin, D., Zoll, J., N'Guessan, B., Mettauer, B., Lampert, E., Veksler, V. and Ventura-Clapier, R. (2005). "Coordinated changes in mitochondrial function and biogenesis in healthy and diseased human skeletal muscle." FASEB J **19**(1): 43-52.
- Gaster, M., Beck-Nielsen, H. and Schroder, H. D. (2001). "Proliferation conditions for human satellite cells. The fractional content of satellite cells." Apmis **109**(11): 726-34.
- Gaster, M., Rustan, A. C. and Beck-Nielsen, H. (2005). "Differential utilization of saturated palmitate and unsaturated oleate: evidence from cultured myotubes." Diabetes **54**(3): 648-56.
- Geliebter, A., Maher, M. M., Gerace, L., Gutin, B., Heymsfield, S. B. and Hashim, S. A. (1997). "Effects of strength or aerobic training on body composition, resting metabolic rate, and peak oxygen consumption in obese dieting subjects." Am J Clin Nutr **66**(3): 557-63.
- German, J. B. and Dillard, C. J. (2004). "Saturated fats: what dietary intake?" Am J Clin Nutr **80**(3): 550-9.
- Goldbourt, U., Yaari, S. and Medalie, J. H. (1993). "Factors predictive of long-term coronary heart disease mortality among 10,059 male Israeli civil servants and municipal employees. A 23-year mortality follow-up in the Israeli Ischemic Heart Disease Study." Cardiology **82**(2-3): 100-21.
- Gonzalez-Periz, A., Horrillo, R., Ferre, N., Gronert, K., Dong, B., Moran-Salvador, E., Titos, E., Martinez-Clemente, M., Lopez-Parra, M., Arroyo, V. and Claria, J. (2009). "Obesity-induced insulin resistance and hepatic steatosis are alleviated by

- omega-3 fatty acids: a role for resolvins and protectins." FASEB J **23**(6): 1946-57.
- Goodpaster, B. H., He, J., Watkins, S. and Kelley, D. E. (2001). "Skeletal muscle lipid content and insulin resistance: evidence for a paradox in endurance-trained athletes." J Clin Endocrinol Metab **86**(12): 5755-61.
- Goodpaster, B. H. and Kelley, D. E. (2002). "Skeletal muscle triglyceride: marker or mediator of obesity-induced insulin resistance in type 2 diabetes mellitus?" Curr Diab Rep **2**(3): 216-22.
- Goodpaster, B. H., Krishnaswami, S., Harris, T. B., Katsiaras, A., Kritchevsky, S. B., Simonsick, E. M., Nevitt, M., Holvoet, P. and Newman, A. B. (2005). "Obesity, regional body fat distribution, and the metabolic syndrome in older men and women." Arch Intern Med **165**(7): 777-83.
- Goodpaster, B. H., Theriault, R., Watkins, S. C. and Kelley, D. E. (2000). "Intramuscular lipid content is increased in obesity and decreased by weight loss." Metabolism **49**(4): 467-72.
- Goodpaster, B. H. and Wolf, D. (2004). "Skeletal muscle lipid accumulation in obesity, insulin resistance, and type 2 diabetes." Pediatr Diabetes **5**(4): 219-26.
- Granholt, A. C., Bimonte-Nelson, H. A., Moore, A. B., Nelson, M. E., Freeman, L. R. and Sambamurti, K. (2008). "Effects of a saturated fat and high cholesterol diet on memory and hippocampal morphology in the middle-aged rat." J Alzheimers Dis **14**(2): 133-45.
- Grimsgaard, S., Bonna, K. H., Hansen, J. B. and Nordoy, A. (1997). "Highly purified eicosapentaenoic acid and docosahexaenoic acid in humans have similar triacylglycerol-lowering effects but divergent effects on serum fatty acids." Am J Clin Nutr **66**(3): 649-59.
- Grohmann, M., Sabin, M., Holly, J., Shield, J., Crowne, E. and Stewart, C. (2005). "Characterization of differentiated subcutaneous and visceral adipose tissue from children: the influences of TNF-alpha and IGF-I." J Lipid Res **46**(1): 93-103.
- Gullicksen, P. S., Dean, R. G. and Baile, C. A. (2004). "Detection of DNA fragmentation and apoptotic proteins, and quantification of uncoupling protein expression by real-time RT-PCR in adipose tissue." J Biochem Biophys Methods **58**(1): 1-13.
- Guo, W., Wong, S., Xie, W., Lei, T. and Luo, Z. (2007). "Palmitate modulates intracellular signaling, induces endoplasmic reticulum stress, and causes

- apoptosis in mouse 3T3-L1 and rat primary preadipocytes." Am J Physiol Endocrinol Metab **293**(2): E576-86.
- Hainer, V., Toplak, H. and Mitrakou, A. (2008). "Treatment modalities of obesity: what fits whom?" Diabetes Care **31 Suppl 2**: S269-77.
- Hajdуч, E., Balendran, A., Batty, I. H., Litherland, G. J., Blair, A. S., Downes, C. P. and Hundal, H. S. (2001). "Ceramide impairs the insulin-dependent membrane recruitment of protein kinase B leading to a loss in downstream signalling in L6 skeletal muscle cells." Diabetologia **44**(2): 173-83.
- Hanada, K. (2003). "Serine palmitoyltransferase, a key enzyme of sphingolipid metabolism." Biochim Biophys Acta **1632**(1-3): 16-30.
- Hancock, C. R., Han, D. H., Chen, M., Terada, S., Yasuda, T., Wright, D. C. and Holloszy, J. O. (2008). "High-fat diets cause insulin resistance despite an increase in muscle mitochondria." Proc Natl Acad Sci U S A **105**(22): 7815-20.
- Hardie, D. G., Salt, I. P. and Davies, S. P. (2000). "Analysis of the role of the AMP-activated protein kinase in the response to cellular stress." Methods Mol Biol **99**: 63-74.
- Harman-Boehm, I., Bluher, M., Redel, H., Sion-Vardy, N., Ovadia, S., Avinoach, E., Shai, I., Kloting, N., Stumvoll, M., Bashan, N. and Rudich, A. (2007). "Macrophage infiltration into omental versus subcutaneous fat across different populations: effect of regional adiposity and the comorbidities of obesity." J Clin Endocrinol Metab **92**(6): 2240-7.
- Harrington, W. W., Britt, C. S., Wilson, J. G., Milliken, N. O., Binz, J. G., Lobe, D. C., Oliver, W. R., Lewis, M. C. and Ignar, D. M. (2007). "The Effect of PPARalpha, PPARdelta, PPARgamma, and PPARpan Agonists on Body Weight, Body Mass, and Serum Lipid Profiles in Diet-Induced Obese AKR/J Mice." PPAR Res **2007**: 97125.
- Haslam, D. W. and James, W. P. (2005). "Obesity." Lancet **366**(9492): 1197-209.
- Hauer, H. (2004). "The new concept of adipose tissue function." Physiol Behav **83**(4): 653-8.
- Hausman, G. J. and Poulos, S. P. (2005). "A method to establish co-cultures of myotubes and preadipocytes from collagenase digested neonatal pig semitendinosus muscles." J Anim Sci **83**(5): 1010-6.



- Hawkins, M., Barzilai, N., Liu, R., Hu, M., Chen, W. and Rossetti, L. (1997). "Role of the glucosamine pathway in fat-induced insulin resistance." J Clin Invest **99**(9): 2173-82.
- He, K., Liu, K., Daviglius, M. L., Mayer-Davis, E., Jenny, N. S., Jiang, R., Ouyang, P., Steffen, L. M., Siscovick, D., Wu, C., Barr, R. G., Tsai, M. and Burke, G. L. (2008). "Intakes of long-chain n-3 polyunsaturated fatty acids and fish in relation to measurements of subclinical atherosclerosis." Am J Clin Nutr **88**(4): 1111-8.
- Heilbronn, L. K. and Campbell, L. V. (2008). "Adipose tissue macrophages, low grade inflammation and insulin resistance in human obesity." Curr Pharm Des **14**(12): 1225-30.
- Heine, R. J., Mulder, C., Popp-Snijders, C., van der Meer, J. and van der Veen, E. A. (1989). "Linoleic-acid-enriched diet: long-term effects on serum lipoprotein and apolipoprotein concentrations and insulin sensitivity in noninsulin-dependent diabetic patients." Am J Clin Nutr **49**(3): 448-56.
- Helland, I. B., Smith, L., Saarem, K., Saugstad, O. D. and Drevon, C. A. (2003). "Maternal supplementation with very-long-chain n-3 fatty acids during pregnancy and lactation augments children's IQ at 4 years of age." Pediatrics **111**(1): e39-44.
- Herling, A. W., Gossel, M., Haschke, G., Stengelin, S., Kuhlmann, J., Muller, G., Schmoll, D. and Kramer, W. (2007). "CB1 receptor antagonist AVE1625 affects primarily metabolic parameters independently of reduced food intake in Wistar rats." Am J Physiol Endocrinol Metab **293**(3): E826-32.
- Herling, A. W., Kilp, S., Elvert, R., Haschke, G. and Kramer, W. (2008). "Increased energy expenditure contributes more to the body weight-reducing effect of rimonabant than reduced food intake in candy-fed wistar rats." Endocrinology **149**(5): 2557-66.
- Hill, A. M., Buckley, J. D., Murphy, K. J. and Howe, P. R. (2007). "Combining fish-oil supplements with regular aerobic exercise improves body composition and cardiovascular disease risk factors." Am J Clin Nutr **85**(5): 1267-74.
- Hivert, M. F., Sullivan, L. M., Fox, C. S., Nathan, D. M., D'Agostino, R. B., Sr., Wilson, P. W. and Meigs, J. B. (2008). "Associations of adiponectin, resistin, and tumor necrosis factor-alpha with insulin resistance." J Clin Endocrinol Metab **93**(8): 3165-72.
- Hojlund, K., Mustard, K. J., Staehr, P., Hardie, D. G., Beck-Nielsen, H., Richter, E. A. and Wojtaszewski, J. F. (2004). "AMPK activity and isoform protein expression

- are similar in muscle of obese subjects with and without type 2 diabetes." Am J Physiol Endocrinol Metab **286**(2): E239-44.
- Holden, N. S., Squires, P. E., Kaur, M., Bland, R., Jones, C. E. and Newton, R. (2008). "Phorbol ester-stimulated NF-kappaB-dependent transcription: roles for isoforms of novel protein kinase C." Cell Signal **20**(7): 1338-48.
- Holloszy, J. O. (2009). "Skeletal muscle "mitochondrial deficiency" does not mediate insulin resistance." Am J Clin Nutr **89**(1): 463S-6S.
- Holloway, G. P., Bonen, A. and Spriet, L. L. (2009). "Regulation of skeletal muscle mitochondrial fatty acid metabolism in lean and obese individuals." Am J Clin Nutr **89**(1): 455S-62S.
- Hommelberg, P. P., Plat, J., Langen, R. C., Schols, A. M. and Mensink, R. P. (2009). "Fatty acid-induced NF-kappaB activation and insulin resistance in skeletal muscle are chain length dependent." Am J Physiol Endocrinol Metab **296**(1): E114-20.
- Hong, D. D., Takahashi, Y., Kushiro, M. and Ide, T. (2003). "Divergent effects of eicosapentaenoic and docosahexaenoic acid ethyl esters, and fish oil on hepatic fatty acid oxidation in the rat." Biochim Biophys Acta **1635**(1): 29-36.
- Hu, F. B., Meigs, J. B., Li, T. Y., Rifai, N. and Manson, J. E. (2004). "Inflammatory markers and risk of developing type 2 diabetes in women." Diabetes **53**(3): 693-700.
- Huang, C., Somwar, R., Patel, N., Niu, W., Torok, D. and Klip, A. (2002). "Sustained exposure of L6 myotubes to high glucose and insulin decreases insulin-stimulated GLUT4 translocation but upregulates GLUT4 activity." Diabetes **51**(7): 2090-8.
- Huang, S., Bjornsti, M. A. and Houghton, P. J. (2003). "Rapamycins: mechanism of action and cellular resistance." Cancer Biol Ther **2**(3): 222-32.
- Hulver, M. W., Berggren, J. R., Carper, M. J., Miyazaki, M., Ntambi, J. M., Hoffman, E. P., Thyfault, J. P., Stevens, R., Dohm, G. L., Houmard, J. A. and Muoio, D. M. (2005). "Elevated stearoyl-CoA desaturase-1 expression in skeletal muscle contributes to abnormal fatty acid partitioning in obese humans." Cell Metab **2**(4): 251-61.
- Hundal, R. S., Petersen, K. F., Mayerson, A. B., Randhawa, P. S., Inzucchi, S., Shoelson, S. E. and Shulman, G. I. (2002). "Mechanism by which high-dose aspirin improves glucose metabolism in type 2 diabetes." J Clin Invest **109**(10): 1321-6.

- Ibanez, J., Izquierdo, M., Arguelles, I., Forga, L., Larrion, J. L., Garcia-Unciti, M., Idoate, F. and Gorostiaga, E. M. (2005). "Twice-weekly progressive resistance training decreases abdominal fat and improves insulin sensitivity in older men with type 2 diabetes." Diabetes Care **28**(3): 662-7.
- Irizarry, R. A., Hobbs, B., Collin, F., Beazer-Barclay, Y. D., Antonellis, K. J., Scherf, U. and Speed, T. P. (2003). "Exploration, normalization, and summaries of high density oligonucleotide array probe level data." Biostatistics **4**(2): 249-64.
- Isozaki, O., Tsushima, T., Miyakawa, M., Nozoe, Y., Demura, H. and Seki, H. (1999). "Growth hormone directly inhibits leptin gene expression in visceral fat tissue in fatty Zucker rats." J Endocrinol **161**(3): 511-6.
- Itani, S. I., Ruderman, N. B., Schmieder, F. and Boden, G. (2002). "Lipid-induced insulin resistance in human muscle is associated with changes in diacylglycerol, protein kinase C, and IkappaB-alpha." Diabetes **51**(7): 2005-11.
- Ito, H., Ohshima, A., Ohto, N., Ogasawara, M., Tsuzuki, M., Takao, K., Hijii, C., Tanaka, H. and Nishioka, K. (2001). "Relation between body composition and age in healthy Japanese subjects." Eur J Clin Nutr **55**(6): 462-70.
- Itoh, M., Suganami, T., Satoh, N., Tanimoto-Koyama, K., Yuan, X., Tanaka, M., Kawano, H., Yano, T., Aoe, S., Takeya, M., Shimatsu, A., Kuzuya, H., Kamei, Y. and Ogawa, Y. (2007). "Increased adiponectin secretion by highly purified eicosapentaenoic acid in rodent models of obesity and human obese subjects." Arterioscler Thromb Vasc Biol **27**(9): 1918-25.
- Jager, S., Handschin, C., St-Pierre, J. and Spiegelman, B. M. (2007). "AMP-activated protein kinase (AMPK) action in skeletal muscle via direct phosphorylation of PGC-1alpha." Proc Natl Acad Sci U S A **104**(29): 12017-22.
- Jakicic, J. M. and Otto, A. D. (2005). "Physical activity considerations for the treatment and prevention of obesity." Am J Clin Nutr **82**(1 Suppl): 226S-229S.
- Janand-Delenne, B., Chagnaud, C., Raccach, D., Alessi, M. C., Juhan-Vague, I. and Vague, P. (1998). "Visceral fat as a main determinant of plasminogen activator inhibitor 1 level in women." Int J Obes Relat Metab Disord **22**(4): 312-7.
- Javadi, M., Geelen, M. J., Lemmens, A. G., Lankhorst, A., Schonewille, J. T., Terpstra, A. H. and Beynen, A. C. (2007). "The influence of dietary linoleic and alpha-linolenic acid on body composition and the activities of key enzymes of hepatic lipogenesis and fatty acid oxidation in mice." J Anim Physiol Anim Nutr (Berl) **91**(1-2): 11-8.

- Jequier, E. (1998). "Effect of lipid oxidation on glucose utilization in humans." Am J Clin Nutr **67**(3 Suppl): 527S-530S.
- Jessen, N., Pold, R., Buhl, E. S., Jensen, L. S., Schmitz, O. and Lund, S. (2003). "Effects of AICAR and exercise on insulin-stimulated glucose uptake, signaling, and GLUT-4 content in rat muscles." J Appl Physiol **94**(4): 1373-9.
- Jeukendrup, A. E. (2002). "Regulation of fat metabolism in skeletal muscle." Ann N Y Acad Sci **967**: 217-35.
- Jove, M., Planavila, A., Laguna, J. C. and Vazquez-Carrera, M. (2005). "Palmitate-induced interleukin 6 production is mediated by protein kinase C and nuclear-factor kappaB activation and leads to glucose transporter 4 down-regulation in skeletal muscle cells." Endocrinology **146**(7): 3087-95.
- Jove, M., Planavila, A., Sanchez, R. M., Merlos, M., Laguna, J. C. and Vazquez-Carrera, M. (2006). "Palmitate induces tumor necrosis factor-alpha expression in C2C12 skeletal muscle cells by a mechanism involving protein kinase C and nuclear factor-kappaB activation." Endocrinology **147**(1): 552-61.
- Jung, U. J., Torrejon, C., Tighe, A. P. and Deckelbaum, R. J. (2008). "n-3 Fatty acids and cardiovascular disease: mechanisms underlying beneficial effects." Am J Clin Nutr **87**(6): 2003S-9S.
- Kadowaki, T. and Yamauchi, T. (2005). "Adiponectin and adiponectin receptors." Endocr Rev **26**(3): 439-51.
- Karaskov, E., Scott, C., Zhang, L., Teodoro, T., Ravazzola, M. and Volchuk, A. (2006). "Chronic palmitate but not oleate exposure induces endoplasmic reticulum stress, which may contribute to INS-1 pancreatic beta-cell apoptosis." Endocrinology **147**(7): 3398-407.
- Karelis, A. D., St-Pierre, D. H., Conus, F., Rabasa-Lhoret, R. and Poehlman, E. T. (2004). "Metabolic and body composition factors in subgroups of obesity: what do we know?" J Clin Endocrinol Metab **89**(6): 2569-75.
- Karin, M. and Ben-Neriah, Y. (2000). "Phosphorylation meets ubiquitination: the control of NF-[kappa]B activity." Annu Rev Immunol **18**: 621-63.
- Katan, M. B., Zock, P. L. and Mensink, R. P. (1994). "Effects of fats and fatty acids on blood lipids in humans: an overview." Am J Clin Nutr **60**(6 Suppl): 1017S-1022S.

- Kaushik, M., Mozaffarian, D., Spiegelman, D., Manson, J. E., Willett, W. C. and Hu, F. B. (2009). "Long-chain omega-3 fatty acids, fish intake, and the risk of type 2 diabetes mellitus." Am J Clin Nutr **90**(3): 613-20.
- Kaushik, V. K., Young, M. E., Dean, D. J., Kurowski, T. G., Saha, A. K. and Ruderman, N. B. (2001). "Regulation of fatty acid oxidation and glucose metabolism in rat soleus muscle: effects of AICAR." Am J Physiol Endocrinol Metab **281**(2): E335-40.
- Kelley, D. E. (2002). "Skeletal muscle triglycerides: an aspect of regional adiposity and insulin resistance." Ann N Y Acad Sci **967**: 135-45.
- Kelley, D. E. (2005). "Skeletal muscle fat oxidation: timing and flexibility are everything." J Clin Invest **115**(7): 1699-702.
- Kelley, D. E., Goodpaster, B., Wing, R. R. and Simoneau, J. A. (1999). "Skeletal muscle fatty acid metabolism in association with insulin resistance, obesity, and weight loss." Am J Physiol **277**(6 Pt 1): E1130-41.
- Kelley, D. E. and Mandarino, L. J. (2000). "Fuel selection in human skeletal muscle in insulin resistance: a reexamination." Diabetes **49**(5): 677-83.
- Kelley, D. E., Thaete, F. L., Troost, F., Huwe, T. and Goodpaster, B. H. (2000). "Subdivisions of subcutaneous abdominal adipose tissue and insulin resistance." Am J Physiol Endocrinol Metab **278**(5): E941-8.
- Kelley, D. S., Siegel, D., Vemuri, M. and Mackey, B. E. (2007). "Docosahexaenoic acid supplementation improves fasting and postprandial lipid profiles in hypertriglyceridemic men." Am J Clin Nutr **86**(2): 324-33.
- Kelley, D. S., Taylor, P. C., Nelson, G. J., Schmidt, P. C., Ferretti, A., Erickson, K. L., Yu, R., Chandra, R. K. and Mackey, B. E. (1999). "Docosahexaenoic acid ingestion inhibits natural killer cell activity and production of inflammatory mediators in young healthy men." Lipids **34**(4): 317-24.
- Kershaw, E. E., Hamm, J. K., Verhagen, L. A., Peroni, O., Katic, M. and Flier, J. S. (2006). "Adipose triglyceride lipase: function, regulation by insulin, and comparison with adiponutrin." Diabetes **55**(1): 148-57.
- Khamzina, L., Veilleux, A., Bergeron, S. and Marette, A. (2005). "Increased activation of the mammalian target of rapamycin pathway in liver and skeletal muscle of obese rats: possible involvement in obesity-linked insulin resistance." Endocrinology **146**(3): 1473-81.

- Khan, A. H. and Pessin, J. E. (2002). "Insulin regulation of glucose uptake: a complex interplay of intracellular signalling pathways." Diabetologia **45**(11): 1475-83.
- Kien, C. L., Bunn, J. Y. and Ugrasbul, F. (2005). "Increasing dietary palmitic acid decreases fat oxidation and daily energy expenditure." Am J Clin Nutr **82**(2): 320-6.
- Kiens, B., Kristiansen, S., Jensen, P., Richter, E. A. and Turcotte, L. P. (1997). "Membrane associated fatty acid binding protein (FABPpm) in human skeletal muscle is increased by endurance training." Biochem Biophys Res Commun **231**(2): 463-5.
- Kim, C. S., Nam, J. Y., Park, J. S., Kim, D. M., Yoon, S. J., Ahn, C. W., Lim, S. K., Kim, K. R., Lee, H. C., Huh, K. B. and Cha, B. S. (2004). "The correlation between insulin resistance and the visceral fat to skeletal muscle ratio in middle-aged women." Yonsei Med J **45**(3): 469-78.
- Kim, H. J., Higashimori, T., Park, S. Y., Choi, H., Dong, J., Kim, Y. J., Noh, H. L., Cho, Y. R., Cline, G., Kim, Y. B. and Kim, J. K. (2004). "Differential effects of interleukin-6 and -10 on skeletal muscle and liver insulin action in vivo." Diabetes **53**(4): 1060-7.
- Kim, J. H., Kim, J. E., Liu, H. Y., Cao, W. and Chen, J. (2008). "Regulation of interleukin-6-induced hepatic insulin resistance by mammalian target of rapamycin through the STAT3-SOCS3 pathway." J Biol Chem **283**(2): 708-15.
- Kim, J. Y., Hickner, R. C., Cortright, R. L., Dohm, G. L. and Houmard, J. A. (2000). "Lipid oxidation is reduced in obese human skeletal muscle." Am J Physiol Endocrinol Metab **279**(5): E1039-44.
- Kim, P. L., Staron, R. S. and Phillips, S. M. (2005). "Fasted-state skeletal muscle protein synthesis after resistance exercise is altered with training." J Physiol **568**(Pt 1): 283-90.
- Klip, A., Guma, A., Ramlal, T., Bilan, P. J., Lam, L. and Leiter, L. A. (1992). "Stimulation of hexose transport by metformin in L6 muscle cells in culture." Endocrinology **130**(5): 2535-44.
- Kobashi, C., Asamizu, S., Ishiki, M., Iwata, M., Usui, I., Yamazaki, K., Tobe, K., Kobayashi, M. and Urakaze, M. (2009). "Inhibitory effect of IL-8 on insulin action in human adipocytes via MAP kinase pathway." J Inflamm (Lond) **6**: 25.
- Koivisto, U. M., Martinez-Valdez, H., Bilan, P. J., Burdett, E., Ramlal, T. and Klip, A. (1991). "Differential regulation of the GLUT-1 and GLUT-4 glucose transport

- systems by glucose and insulin in L6 muscle cells in culture." J Biol Chem **266**(4): 2615-21.
- Koletzko, B., Lien, E., Agostoni, C., Bohles, H., Campoy, C., Cetin, I., Decsi, T., Dudenhausen, J. W., Dupont, C., Forsyth, S., Hoesli, I., Holzgreve, W., Lapillonne, A., Putet, G., Secher, N. J., Symonds, M., Szajewska, H., Willatts, P. and Uauy, R. (2008). "The roles of long-chain polyunsaturated fatty acids in pregnancy, lactation and infancy: review of current knowledge and consensus recommendations." J Perinat Med **36**(1): 5-14.
- Kraegen, E. W., Cooney, G. J. and Turner, N. (2008). "Muscle insulin resistance: a case of fat overconsumption, not mitochondrial dysfunction." Proc Natl Acad Sci U S A **105**(22): 7627-8.
- Kraegen, E. W., Saha, A. K., Preston, E., Wilks, D., Hoy, A. J., Cooney, G. J. and Ruderman, N. B. (2006). "Increased malonyl-CoA and diacylglycerol content and reduced AMPK activity accompany insulin resistance induced by glucose infusion in muscle and liver of rats." Am J Physiol Endocrinol Metab **290**(3): E471-9.
- Kramer, J. A., LeDeaux, J., Butteiger, D., Young, T., Crankshaw, C., Harlow, H., Kier, L. and Bhat, B. G. (2003). "Transcription profiling in rat liver in response to dietary docosahexaenoic acid implicates stearyl-coenzyme a desaturase as a nutritional target for lipid lowering." J Nutr **133**(1): 57-66.
- Kriketos, A. D., Pan, D. A., Lillioja, S., Cooney, G. J., Baur, L. A., Milner, M. R., Sutton, J. R., Jenkins, A. B., Bogardus, C. and Storlien, L. H. (1996). "Interrelationships between muscle morphology, insulin action, and adiposity." Am J Physiol **270**(6 Pt 2): R1332-9.
- Krysko, D. V., Vanden Berghe, T., D'Herde, K. and Vandenabeele, P. (2008). "Apoptosis and necrosis: detection, discrimination and phagocytosis." Methods **44**(3): 205-21.
- Kurahashi, N., Inoue, M., Iwasaki, M., Sasazuki, S. and Tsugane, A. S. (2008). "Dairy product, saturated fatty acid, and calcium intake and prostate cancer in a prospective cohort of Japanese men." Cancer Epidemiol Biomarkers Prev **17**(4): 930-7.
- Kyriakis, J. M. and Avruch, J. (2001). "Mammalian mitogen-activated protein kinase signal transduction pathways activated by stress and inflammation." Physiol Rev **81**(2): 807-69.

- Lafontan, M. and Viguerie, N. (2006). "Role of adipokines in the control of energy metabolism: focus on adiponectin." Curr Opin Pharmacol **6**(6): 580-5.
- Lam, L. T., Wright, G., Davis, R. E., Lenz, G., Farinha, P., Dang, L., Chan, J. W., Rosenwald, A., Gascoyne, R. D. and Staudt, L. M. (2008). "Cooperative signaling through the signal transducer and activator of transcription 3 and nuclear factor- $\kappa$ B pathways in subtypes of diffuse large B-cell lymphoma." Blood **111**(7): 3701-13.
- Lamphere, L. and Lienhard, G. E. (1992). "Components of signaling pathways for insulin and insulin-like growth factor-I in muscle myoblasts and myotubes." Endocrinology **131**(5): 2196-202.
- Landschulz, K. T., Jump, D. B., MacDougald, O. A. and Lane, M. D. (1994). "Transcriptional control of the stearoyl-CoA desaturase-1 gene by polyunsaturated fatty acids." Biochem Biophys Res Commun **200**(2): 763-8.
- Lappas, M., Permezel, M. and Rice, G. E. (2004). "Release of proinflammatory cytokines and 8-isoprostane from placenta, adipose tissue, and skeletal muscle from normal pregnant women and women with gestational diabetes mellitus." J Clin Endocrinol Metab **89**(11): 5627-33.
- Larance, M., Ramm, G. and James, D. E. (2008). "The GLUT4 code." Mol Endocrinol **22**(2): 226-33.
- Large, V., Peroni, O., Letexier, D., Ray, H. and Beylot, M. (2004). "Metabolism of lipids in human white adipocyte." Diabetes Metab **30**(4): 294-309.
- Larsen, T. M., Toubro, S., van Baak, M. A., Gottesdiener, K. M., Larson, P., Saris, W. H. and Astrup, A. (2002). "Effect of a 28-d treatment with L-796568, a novel beta(3)-adrenergic receptor agonist, on energy expenditure and body composition in obese men." Am J Clin Nutr **76**(4): 780-8.
- Larsson, S. C., Kumlin, M., Ingelman-Sundberg, M. and Wolk, A. (2004). "Dietary long-chain n-3 fatty acids for the prevention of cancer: a review of potential mechanisms." Am J Clin Nutr **79**(6): 935-45.
- Lawson, M. A. and Purslow, P. P. (2000). "Differentiation of myoblasts in serum-free media: effects of modified media are cell line-specific." Cells Tissues Organs **167**(2-3): 130-7.
- Lazar, M. A. (2007). "Resistin- and Obesity-associated metabolic diseases." Horm Metab Res **39**(10): 710-6.



- Lee, D. F., Kuo, H. P., Chen, C. T., Wei, Y., Chou, C. K., Hung, J. Y., Yen, C. J. and Hung, M. C. (2008). "IKKbeta suppression of TSC1 function links the mTOR pathway with insulin resistance." Int J Mol Med **22**(5): 633-8.
- Lee, J. H., O'Keefe, J. H., Lavie, C. J., Marchioli, R. and Harris, W. S. (2008). "Omega-3 fatty acids for cardioprotection." Mayo Clin Proc **83**(3): 324-32.
- Lee, J. I. and Burckart, G. J. (1998). "Nuclear factor kappa B: important transcription factor and therapeutic target." J Clin Pharmacol **38**(11): 981-93.
- Lee, J. S., Pinnamaneni, S. K., Eo, S. J., Cho, I. H., Pyo, J. H., Kim, C. K., Sinclair, A. J., Febbraio, M. A. and Watt, M. J. (2006). "Saturated, but not n-6 polyunsaturated, fatty acids induce insulin resistance: role of intramuscular accumulation of lipid metabolites." J Appl Physiol **100**(5): 1467-74.
- Li, G., Barrett, E. J., Barrett, M. O., Cao, W. and Liu, Z. (2007). "Tumor necrosis factor- $\alpha$  induces insulin resistance in endothelial cells via a p38 mitogen-activated protein kinase-dependent pathway." Endocrinology **148**(7): 3356-63.
- Liang, H., Yin, B., Zhang, H., Zhang, S., Zeng, Q., Wang, J., Jiang, X., Yuan, L., Wang, C. Y. and Li, Z. (2008). "Blockade of tumor necrosis factor (TNF) receptor type 1-mediated TNF- $\alpha$  signaling protected Wistar rats from diet-induced obesity and insulin resistance." Endocrinology **149**(6): 2943-51.
- Lindle, R. S., Metter, E. J., Lynch, N. A., Fleg, J. L., Fozard, J. L., Tobin, J., Roy, T. A. and Hurley, B. F. (1997). "Age and gender comparisons of muscle strength in 654 women and men aged 20-93 yr." J Appl Physiol **83**(5): 1581-7.
- Liu, L., Zhang, Y., Chen, N., Shi, X., Tsang, B. and Yu, Y. H. (2007). "Upregulation of myocellular DGAT1 augments triglyceride synthesis in skeletal muscle and protects against fat-induced insulin resistance." J Clin Invest **117**(6): 1679-89.
- Liu, S., Baracos, V. E., Quinney, H. A. and Clandinin, M. T. (1994). "Dietary omega-3 and polyunsaturated fatty acids modify fatty acyl composition and insulin binding in skeletal-muscle sarcolemma." Biochem J **299** ( Pt 3): 831-7.
- Lombardo, Y. B. and Chicco, A. G. (2006). "Effects of dietary polyunsaturated n-3 fatty acids on dyslipidemia and insulin resistance in rodents and humans. A review." J Nutr Biochem **17**(1): 1-13.
- Long, Y. C. and Zierath, J. R. (2008). "Influence of AMP-activated protein kinase and calcineurin on metabolic networks in skeletal muscle." Am J Physiol Endocrinol Metab **295**(3): E545-52.

- Loo, D. T. and Rillema, J. R. (1998). "Measurement of cell death." Methods Cell Biol **57**: 251-64.
- Lukiw, W. J., Cui, J. G., Marcheselli, V. L., Bodker, M., Botkjaer, A., Gotlinger, K., Serhan, C. N. and Bazan, N. G. (2005). "A role for docosahexaenoic acid-derived neuroprotectin D1 in neural cell survival and Alzheimer disease." J Clin Invest **115**(10): 2774-83.
- Luscombe, N. D., Noakes, M. and Clifton, P. M. (1999). "Diets high and low in glycemic index versus high monounsaturated fat diets: effects on glucose and lipid metabolism in NIDDM." Eur J Clin Nutr **53**(6): 473-8.
- Marchioli, R., Barzi, F., Bomba, E., Chieffo, C., Di Gregorio, D., Di Mascio, R., Franzosi, M. G., Geraci, E., Levantesi, G., Maggioni, A. P., Mantini, L., Marfisi, R. M., Mastrogiuseppe, G., Mininni, N., Nicolosi, G. L., Santini, M., Schweiger, C., Tavazzi, L., Tognoni, G., Tucci, C. and Valagussa, F. (2002). "Early protection against sudden death by n-3 polyunsaturated fatty acids after myocardial infarction: time-course analysis of the results of the Gruppo Italiano per lo Studio della Sopravvivenza nell'Infarto Miocardico (GISSI)-Prevenzione." Circulation **105**(16): 1897-903.
- Marshall, J. A., Hamman, R. F. and Baxter, J. (1991). "High-fat, low-carbohydrate diet and the etiology of non-insulin-dependent diabetes mellitus: the San Luis Valley Diabetes Study." Am J Epidemiol **134**(6): 590-603.
- Mathieson, P. W., Wurzner, R., Oliveria, D. B., Lachmann, P. J. and Peters, D. K. (1993). "Complement-mediated adipocyte lysis by nephritic factor sera." J Exp Med **177**(6): 1827-31.
- McAinch, A. J., Lee, J. S., Bruce, C. R., Tunstall, R. J., Hawley, J. A. and Cameron-Smith, D. (2003). "Dietary regulation of fat oxidative gene expression in different skeletal muscle fiber types." Obes Res **11**(12): 1471-9.
- McGee, S. L., van Denderen, B. J., Howlett, K. F., Mollica, J., Schertzer, J. D., Kemp, B. E. and Hargreaves, M. (2008). "AMP-activated protein kinase regulates GLUT4 transcription by phosphorylating histone deacetylase 5." Diabetes **57**(4): 860-7.
- McIntyre, E. A., Halse, R., Yeaman, S. J. and Walker, M. (2004). "Cultured muscle cells from insulin-resistant type 2 diabetes patients have impaired insulin, but normal 5-amino-4-imidazolecarboxamide riboside-stimulated, glucose uptake." J Clin Endocrinol Metab **89**(7): 3440-8.

- Miller, A. M., Brestoff, J. R., Phelps, C. B., Berk, E. Z. and Reynolds, T. H. t. (2008). "Rapamycin does not improve insulin sensitivity despite elevated mammalian target of rapamycin complex 1 activity in muscles of ob/ob mice." Am J Physiol Regul Integr Comp Physiol **295**(5): R1431-8.
- Mitsumoto, Y. and Klip, A. (1992). "Development regulation of the subcellular distribution and glycosylation of GLUT1 and GLUT4 glucose transporters during myogenesis of L6 muscle cells." J Biol Chem **267**(7): 4957-62.
- Miyake, Y., Kozutsumi, Y., Nakamura, S., Fujita, T. and Kawasaki, T. (1995). "Serine palmitoyltransferase is the primary target of a sphingosine-like immunosuppressant, ISP-1/myriocin." Biochem Biophys Res Commun **211**(2): 396-403.
- Mogensen, M. and Sahlin, K. (2005). "Mitochondrial efficiency in rat skeletal muscle: influence of respiration rate, substrate and muscle type." Acta Physiol Scand **185**(3): 229-36.
- Montell, E., Turini, M., Marotta, M., Roberts, M., Noe, V., Ciudad, C. J., Mace, K. and Gomez-Foix, A. M. (2001). "DAG accumulation from saturated fatty acids desensitizes insulin stimulation of glucose uptake in muscle cells." Am J Physiol Endocrinol Metab **280**(2): E229-37.
- Mora, S. and Pessin, J. E. (2002). "An adipocentric view of signaling and intracellular trafficking." Diabetes Metab Res Rev **18**(5): 345-56.
- Mordier, S. and Iynedjian, P. B. (2007). "Activation of mammalian target of rapamycin complex 1 and insulin resistance induced by palmitate in hepatocytes." Biochem Biophys Res Commun **362**(1): 206-11.
- Mori, T. A., Burke, V., Puddey, I. B., Watts, G. F., O'Neal, D. N., Best, J. D. and Beilin, L. J. (2000). "Purified eicosapentaenoic and docosahexaenoic acids have differential effects on serum lipids and lipoproteins, LDL particle size, glucose, and insulin in mildly hyperlipidemic men." Am J Clin Nutr **71**(5): 1085-94.
- Moro, C., Bajpeyi, S. and Smith, S. R. (2008). "Determinants of intramyocellular triglyceride turnover: implications for insulin sensitivity." Am J Physiol Endocrinol Metab **294**(2): E203-13.
- Morris, D. L. and Rui, L. (2009). "Recent Advances in Understanding Leptin Signaling and Leptin Resistance." Am J Physiol Endocrinol Metab.

- Moschella, P. C., Rao, V. U., McDermott, P. J. and Kuppuswamy, D. (2007). "Regulation of mTOR and S6K1 activation by the nPKC isoforms, PKCepsilon and PKCdelta, in adult cardiac muscle cells." J Mol Cell Cardiol **43**(6): 754-66.
- Mullen, K. L., Smith, A. C., Junkin, K. A. and Dyck, D. J. (2007). "Globular adiponectin resistance develops independently of impaired insulin-stimulated glucose transport in soleus muscle from high-fat-fed rats." Am J Physiol Endocrinol Metab **293**(1): E83-90.
- Muoio, D. M. and Koves, T. R. (2007). "Lipid-induced metabolic dysfunction in skeletal muscle." Novartis Found Symp **286**: 24-38; discussion 38-46, 162-3, 196-203.
- Murosaki, S., Lee, T. R., Muroyama, K., Shin, E. S., Cho, S. Y., Yamamoto, Y. and Lee, S. J. (2007). "A combination of caffeine, arginine, soy isoflavones, and L-carnitine enhances both lipolysis and fatty acid oxidation in 3T3-L1 and HepG2 cells in vitro and in KK mice in vivo." J Nutr **137**(10): 2252-7.
- Nadiv, O., Shinitzky, M., Manu, H., Hecht, D., Roberts, C. T., Jr., LeRoith, D. and Zick, Y. (1994). "Elevated protein tyrosine phosphatase activity and increased membrane viscosity are associated with impaired activation of the insulin receptor kinase in old rats." Biochem J **298 ( Pt 2)**: 443-50.
- Nehls, V. and Drenckhahn, D. (1995). "A microcarrier-based cocultivation system for the investigation of factors and cells involved in angiogenesis in three-dimensional fibrin matrices in vitro." Histochem Cell Biol **104**(6): 459-66.
- Neschen, S., Moore, I., Regittnig, W., Yu, C. L., Wang, Y., Pypaert, M., Petersen, K. F. and Shulman, G. I. (2002). "Contrasting effects of fish oil and safflower oil on hepatic peroxisomal and tissue lipid content." Am J Physiol Endocrinol Metab **282**(2): E395-401.
- Newman, A. B., Haggerty, C. L., Goodpaster, B., Harris, T., Kritchevsky, S., Nevitt, M., Miles, T. P. and Visser, M. (2003). "Strength and muscle quality in a well-functioning cohort of older adults: the Health, Aging and Body Composition Study." J Am Geriatr Soc **51**(3): 323-30.
- Nieto-Vazquez, I., Fernandez-Veledo, S., de Alvaro, C. and Lorenzo, M. (2008). "Dual role of interleukin-6 in regulating insulin sensitivity in murine skeletal muscle." Diabetes **57**(12): 3211-21.
- Nieto-Vazquez, I., Fernandez-Veledo, S., Kramer, D. K., Vila-Bedmar, R., Garcia-Guerra, L. and Lorenzo, M. (2008). "Insulin resistance associated to obesity: the link TNF-alpha." Arch Physiol Biochem **114**(3): 183-94.

- Noakes, M. and Clifton, P. M. (2000). "Changes in plasma lipids and other cardiovascular risk factors during 3 energy-restricted diets differing in total fat and fatty acid composition." Am J Clin Nutr **71**(3): 706-12.
- Nobukuni, T., Joaquin, M., Roccio, M., Dann, S. G., Kim, S. Y., Gulati, P., Byfield, M. P., Backer, J. M., Natt, F., Bos, J. L., Zwartkruis, F. J. and Thomas, G. (2005). "Amino acids mediate mTOR/raptor signaling through activation of class 3 phosphatidylinositol 3OH-kinase." Proc Natl Acad Sci U S A **102**(40): 14238-43.
- Nogalska, A., Wojcik, S., Engel, W. K., McFerrin, J. and Askanas, V. (2007). "Endoplasmic reticulum stress induces myostatin precursor protein and NF-kappaB in cultured human muscle fibers: relevance to inclusion body myositis." Exp Neurol **204**(2): 610-8.
- Norata, G. D., Ongari, M., Garlaschelli, K., Raselli, S., Grigore, L. and Catapano, A. L. (2007). "Plasma resistin levels correlate with determinants of the metabolic syndrome." Eur J Endocrinol **156**(2): 279-84.
- Ntambi, J. M. (1999). "Regulation of stearoyl-CoA desaturase by polyunsaturated fatty acids and cholesterol." J Lipid Res **40**(9): 1549-58.
- Ntambi, J. M., Miyazaki, M., Stoehr, J. P., Lan, H., Kendzioriski, C. M., Yandell, B. S., Song, Y., Cohen, P., Friedman, J. M. and Attie, A. D. (2002). "Loss of stearoyl-CoA desaturase-1 function protects mice against adiposity." Proc Natl Acad Sci U S A **99**(17): 11482-6.
- Orel, M., Lichnovska, R., Gwozdziwiczova, S., Zlamalova, N., Klementa, I., Merkunova, A. and Hrebicek, J. (2004). "Gender differences in tumor necrosis factor alpha and leptin secretion from subcutaneous and visceral fat tissue." Physiol Res **53**(5): 501-5.
- Ortega Martinez de Victoria, E., Xu, X., Koska, J., Francisco, A. M., Scalise, M., Ferrante, A. W., Jr. and Krakoff, J. (2009). "Macrophage content in subcutaneous adipose tissue: associations with adiposity, age, inflammatory markers, and whole-body insulin action in healthy Pima Indians." Diabetes **58**(2): 385-93.
- Osler, M. E. and Zierath, J. R. (2008). "Adenosine 5'-monophosphate-activated protein kinase regulation of fatty acid oxidation in skeletal muscle." Endocrinology **149**(3): 935-41.
- Ozcan, U., Cao, Q., Yilmaz, E., Lee, A. H., Iwakoshi, N. N., Ozdelen, E., Tuncman, G., Gorgun, C., Glimcher, L. H. and Hotamisligil, G. S. (2004). "Endoplasmic

- reticulum stress links obesity, insulin action, and type 2 diabetes." Science **306**(5695): 457-61.
- Ozcan, U., Yilmaz, E., Ozcan, L., Furuhashi, M., Vaillancourt, E., Smith, R. O., Gorgun, C. Z. and Hotamisligil, G. S. (2006). "Chemical chaperones reduce ER stress and restore glucose homeostasis in a mouse model of type 2 diabetes." Science **313**(5790): 1137-40.
- Pahl, H. L. and Baeuerle, P. A. (1997). "The ER-overload response: activation of NF-kappa B." Trends Biochem Sci **22**(2): 63-7.
- Palanivel, R., Maida, A., Liu, Y. and Sweeney, G. (2006). "Regulation of insulin signalling, glucose uptake and metabolism in rat skeletal muscle cells upon prolonged exposure to resistin." Diabetologia **49**(1): 183-90.
- Pan, D. A., Lillioja, S., Kriketos, A. D., Milner, M. R., Baur, L. A., Bogardus, C., Jenkins, A. B. and Storlien, L. H. (1997). "Skeletal muscle triglyceride levels are inversely related to insulin action." Diabetes **46**(6): 983-8.
- Panagiotakos, D. B., Pitsavos, C., Yannakoulia, M., Chrysohoou, C. and Stefanadis, C. (2005). "The implication of obesity and central fat on markers of chronic inflammation: The ATTICA study." Atherosclerosis **183**(2): 308-15.
- Panagiotakos, D. B., Tzima, N., Pitsavos, C., Chrysohoou, C., Zampelas, A., Toussoulis, D. and Stefanadis, C. (2007). "The association between adherence to the Mediterranean diet and fasting indices of glucose homeostasis: the ATTICA Study." J Am Coll Nutr **26**(1): 32-8.
- Pandey, S., Murphy, R. F. and Agrawal, D. K. (2007). "Recent advances in the immunobiology of ceramide." Exp Mol Pathol **82**(3): 298-309.
- Paniagua, J. A., de la Sacristana, A. G., Sanchez, E., Romero, I., Vidal-Puig, A., Berral, F. J., Escribano, A., Moyano, M. J., Perez-Martinez, P., Lopez-Miranda, J. and Perez-Jimenez, F. (2007). "A MUFA-rich diet improves postprandial glucose, lipid and GLP-1 responses in insulin-resistant subjects." J Am Coll Nutr **26**(5): 434-44.
- Park, J. Y. and Pillinger, M. H. (2007). "Interleukin-6 in the pathogenesis of rheumatoid arthritis." Bull NYU Hosp Jt Dis **65 Suppl 1**: S4-10.
- Park, S. K., Park, J. H., Kwon, Y. C., Kim, H. S., Yoon, M. S. and Park, H. T. (2003). "The effect of combined aerobic and resistance exercise training on abdominal fat in obese middle-aged women." J Physiol Anthropol Appl Human Sci **22**(3): 129-35.

- Peiro, C., Lafuente, N., Matesanz, N., Cercas, E., Llergo, J. L., Vallejo, S., Rodriguez-Manas, L. and Sanchez-Ferrer, C. F. (2001). "High glucose induces cell death of cultured human aortic smooth muscle cells through the formation of hydrogen peroxide." Br J Pharmacol **133**(7): 967-74.
- Perriott, L. M., Kono, T., Whitesell, R. R., Knobel, S. M., Piston, D. W., Granner, D. K., Powers, A. C. and May, J. M. (2001). "Glucose uptake and metabolism by cultured human skeletal muscle cells: rate-limiting steps." Am J Physiol Endocrinol Metab **281**(1): E72-80.
- Peter, A., Weigert, C., Staiger, H., Machicao, F., Schick, F., Machann, J., Stefan, N., Thamer, C., Haring, H. U. and Schleicher, E. (2009). "Individual stearyl-coa desaturase 1 expression modulates endoplasmic reticulum stress and inflammation in human myotubes and is associated with skeletal muscle lipid storage and insulin sensitivity in vivo." Diabetes **58**(8): 1757-65.
- Peters, S. J., Harris, R. A., Wu, P., Pehleman, T. L., Heigenhauser, G. J. and Spriet, L. L. (2001). "Human skeletal muscle PDH kinase activity and isoform expression during a 3-day high-fat/low-carbohydrate diet." Am J Physiol Endocrinol Metab **281**(6): E1151-8.
- Pickersgill, L., Litherland, G. J., Greenberg, A. S., Walker, M. and Yeaman, S. J. (2007). "Key role for ceramides in mediating insulin resistance in human muscle cells." J Biol Chem **282**(17): 12583-9.
- Piers, L. S., Rowley, K. G., Soares, M. J. and O'Dea, K. (2003). "Relation of adiposity and body fat distribution to body mass index in Australians of Aboriginal and European ancestry." Eur J Clin Nutr **57**(8): 956-63.
- Pinnamaneni, S. K., Southgate, R. J., Febbraio, M. A. and Watt, M. J. (2006). "Stearyl CoA desaturase 1 is elevated in obesity but protects against fatty acid-induced skeletal muscle insulin resistance in vitro." Diabetologia **49**(12): 3027-37.
- Pischon, T., Hankinson, S. E., Hotamisligil, G. S., Rifai, N., Willett, W. C. and Rimm, E. B. (2003). "Habitual dietary intake of n-3 and n-6 fatty acids in relation to inflammatory markers among US men and women." Circulation **108**(2): 155-60.
- Powell, D. J., Turban, S., Gray, A., Hajdуч, E. and Hundal, H. S. (2004). "Intracellular ceramide synthesis and protein kinase C $\zeta$  activation play an essential role in palmitate-induced insulin resistance in rat L6 skeletal muscle cells." Biochem J **382**(Pt 2): 619-29.

- Pradhan, A. D., Manson, J. E., Rifai, N., Buring, J. E. and Ridker, P. M. (2001). "C-reactive protein, interleukin 6, and risk of developing type 2 diabetes mellitus." JAMA **286**(3): 327-34.
- Puigserver, P. and Spiegelman, B. M. (2003). "Peroxisome proliferator-activated receptor-gamma coactivator 1 alpha (PGC-1 alpha): transcriptional coactivator and metabolic regulator." Endocr Rev **24**(1): 78-90.
- Rabe, K., Lehrke, M., Parhofer, K. G. and Broedl, U. C. (2008). "Adipokines and insulin resistance." Mol Med **14**(11-12): 741-51.
- Ramel, A., Martinez, A., Kiely, M., Morais, G., Bandarra, N. M. and Thorsdottir, I. (2008). "Beneficial effects of long-chain n-3 fatty acids included in an energy-restricted diet on insulin resistance in overweight and obese European young adults." Diabetologia **51**(7): 1261-8.
- Ramsay, T. G. (2003). "Porcine leptin inhibits protein breakdown and stimulates fatty acid oxidation in C2C12 myotubes." J Anim Sci **81**(12): 3046-51.
- Randle, P. J., Garland, P. B., Hales, C. N. and Newsholme, E. A. (1963). "The glucose fatty-acid cycle. Its role in insulin sensitivity and the metabolic disturbances of diabetes mellitus." Lancet **1**(7285): 785-9.
- Rasouli, N., Molavi, B., Elbein, S. C. and Kern, P. A. (2007). "Ectopic fat accumulation and metabolic syndrome." Diabetes Obes Metab **9**(1): 1-10.
- Raychaudhuri, S., Stuart, J. M. and Altman, R. B. (2000). "Principal components analysis to summarize microarray experiments: application to sporulation time series." Pac Symp Biocomput: 455-66.
- Reaven, G. (2005). "All obese individuals are not created equal: insulin resistance is the major determinant of cardiovascular disease in overweight/obese individuals." Diab Vasc Dis Res **2**(3): 105-12.
- Reaven, P., Parthasarathy, S., Grasse, B. J., Miller, E., Steinberg, D. and Witztum, J. L. (1993). "Effects of oleate-rich and linoleate-rich diets on the susceptibility of low density lipoprotein to oxidative modification in mildly hypercholesterolemic subjects." J Clin Invest **91**(2): 668-76.
- Renault, V., Piron-Hamelin, G., Forestier, C., DiDonna, S., Decary, S., Hentati, F., Saillant, G., Butler-Browne, G. S. and Mouly, V. (2000). "Skeletal muscle regeneration and the mitotic clock." Exp Gerontol **35**(6-7): 711-9.
- Rennie, K. L., Hughes, J., Lang, R. and Jebb, S. A. (2003). "Nutritional management of rheumatoid arthritis: a review of the evidence." J Hum Nutr Diet **16**(2): 97-109.



- Riccardi, G., Giacco, R. and Rivellese, A. A. (2004). "Dietary fat, insulin sensitivity and the metabolic syndrome." Clin Nutr **23**(4): 447-56.
- Riserus, U., Arnlov, J. and Berglund, L. (2007). "Long-term predictors of insulin resistance: role of lifestyle and metabolic factors in middle-aged men." Diabetes Care **30**(11): 2928-33.
- Roden, M. (2004). "How free fatty acids inhibit glucose utilization in human skeletal muscle." News Physiol Sci **19**: 92-6.
- Rosenblatt, J. D., Parry, D. J. and Partridge, T. A. (1996). "Phenotype of adult mouse muscle myoblasts reflects their fiber type of origin." Differentiation **60**(1): 39-45.
- Ross, R., Freeman, J., Hudson, R. and Janssen, I. (2002). "Abdominal obesity, muscle composition, and insulin resistance in premenopausal women." J Clin Endocrinol Metab **87**(11): 5044-51.
- Saha, A. K., Vavvas, D., Kurowski, T. G., Apazidis, A., Witters, L. A., Shafir, E. and Ruderman, N. B. (1997). "Malonyl-CoA regulation in skeletal muscle: its link to cell citrate and the glucose-fatty acid cycle." Am J Physiol **272**(4 Pt 1): E641-8.
- Santella, R. M. (2006). "Approaches to DNA/RNA Extraction and whole genome amplification." Cancer Epidemiol Biomarkers Prev **15**(9): 1585-7.
- Satoh, H., Nguyen, M. T., Trujillo, M., Imamura, T., Usui, I., Scherer, P. E. and Olefsky, J. M. (2005). "Adenovirus-mediated adiponectin expression augments skeletal muscle insulin sensitivity in male Wistar rats." Diabetes **54**(5): 1304-13.
- Schiaffino, S. and Reggiani, C. (1994). "Myosin isoforms in mammalian skeletal muscle." J Appl Physiol **77**(2): 493-501.
- Schlesinger, J. B., van Harmelen, V., Alberti-Huber, C. E. and Hauner, H. (2006). "Albumin inhibits adipogenesis and stimulates cytokine release from human adipocytes." Am J Physiol Cell Physiol **291**(1): C27-33.
- Schmitz-Peiffer, C., Craig, D. L. and Biden, T. J. (1999). "Ceramide generation is sufficient to account for the inhibition of the insulin-stimulated PKB pathway in C2C12 skeletal muscle cells pretreated with palmitate." J Biol Chem **274**(34): 24202-10.
- Schmitz, G. and Ecker, J. (2008). "The opposing effects of n-3 and n-6 fatty acids." Prog Lipid Res **47**(2): 147-55.
- Schoeller, D. A. and Buchholz, A. C. (2005). "Energetics of obesity and weight control: does diet composition matter?" J Am Diet Assoc **105**(5 Suppl 1): S24-8.

- Schroeder, A., Mueller, O., Stocker, S., Salowsky, R., Leiber, M., Gassmann, M., Lightfoot, S., Menzel, W., Granzow, M. and Ragg, T. (2006). "The RIN: an RNA integrity number for assigning integrity values to RNA measurements." BMC Mol Biol **7**: 3.
- Schultheiss, D., Pilatz, A., Gabouev, A. I., Schlote, N., Wefer, J., Mertsching, H., Sohn, M., Jonas, U. and Stief, C. G. (2004). "Cytotoxicity of different intracavernous vasoactive drugs on cultured endothelial cells of human corpus cavernosum penis." Urology **64**(3): 598-602.
- Sebastian, D., Guitart, M., Garcia-Martinez, C., Mauvezin, C., Orellana-Gavaldà, J. M., Serra, D., Gomez-Foix, A. M., Hegardt, F. G. and Asins, G. (2009). "Novel role of FATP1 in mitochondrial fatty acid oxidation in skeletal muscle cells." J Lipid Res.
- Sell, H., Eckardt, K., Taube, A., Tews, D., Gurgui, M., Van Echten-Deckert, G. and Eckel, J. (2008). "Skeletal muscle insulin resistance induced by adipocyte-conditioned medium: underlying mechanisms and reversibility." Am J Physiol Endocrinol Metab **294**(6): E1070-7.
- Sen, C. K., Khanna, S., Reznick, A. Z., Roy, S. and Packer, L. (1997). "Glutathione regulation of tumor necrosis factor-alpha-induced NF-kappa B activation in skeletal muscle-derived L6 cells." Biochem Biophys Res Commun **237**(3): 645-9.
- Sessler, A. M., Kaur, N., Palta, J. P. and Ntambi, J. M. (1996). "Regulation of stearoyl-CoA desaturase 1 mRNA stability by polyunsaturated fatty acids in 3T3-L1 adipocytes." J Biol Chem **271**(47): 29854-8.
- Sharma, N. K., Das, S. K., Mondal, A. K., Hackney, O. G., Chu, W. S., Kern, P. A., Rasouli, N., Spencer, H. J., Yao-Borengasser, A. and Elbein, S. C. (2008). "Endoplasmic reticulum stress markers are associated with obesity in nondiabetic subjects." J Clin Endocrinol Metab **93**(11): 4532-41.
- Shen, Y. H., Zhang, L., Gan, Y., Wang, X., Wang, J., LeMaire, S. A., Coselli, J. S. and Wang, X. L. (2006). "Up-regulation of PTEN (phosphatase and tensin homolog deleted on chromosome ten) mediates p38 MAPK stress signal-induced inhibition of insulin signaling. A cross-talk between stress signaling and insulin signaling in resistin-treated human endothelial cells." J Biol Chem **281**(12): 7727-36.
- Shoelson, S. E., Lee, J. and Yuan, M. (2003). "Inflammation and the IKK beta/I kappa B/NF-kappa B axis in obesity- and diet-induced insulin resistance." Int J Obes Relat Metab Disord **27 Suppl 3**: S49-52.

- Sidossis, L. S. and Wolfe, R. R. (1996). "Glucose and insulin-induced inhibition of fatty acid oxidation: the glucose-fatty acid cycle reversed." *Am J Physiol* **270**(4 Pt 1): E733-8.
- Singer, P., Shapiro, H., Theilla, M., Anbar, R., Singer, J. and Cohen, J. (2008). "Anti-inflammatory properties of omega-3 fatty acids in critical illness: novel mechanisms and an integrative perspective." *Intensive Care Med* **34**(9): 1580-92.
- Sinha, S., Perdomo, G., Brown, N. F. and O'Doherty, R. M. (2004). "Fatty acid-induced insulin resistance in L6 myotubes is prevented by inhibition of activation and nuclear localization of nuclear factor kappa B." *J Biol Chem* **279**(40): 41294-301.
- Sipula, I. J., Brown, N. F. and Perdomo, G. (2006). "Rapamycin-mediated inhibition of mammalian target of rapamycin in skeletal muscle cells reduces glucose utilization and increases fatty acid oxidation." *Metabolism* **55**(12): 1637-44.
- Sjogren, P., Sierra-Johnson, J., Gertow, K., Rosell, M., Vessby, B., de Faire, U., Hamsten, A., Hellenius, M. L. and Fisher, R. M. (2008). "Fatty acid desaturases in human adipose tissue: relationships between gene expression, desaturation indexes and insulin resistance." *Diabetologia* **51**(2): 328-35.
- Smyth, G. K. and Speed, T. (2003). "Normalization of cDNA microarray data." *Methods* **31**(4): 265-73.
- Sriwijitkamol, A., Christ-Roberts, C., Berria, R., Eagan, P., Pratipanawat, T., DeFronzo, R. A., Mandarino, L. J. and Musi, N. (2006). "Reduced skeletal muscle inhibitor of kappaB beta content is associated with insulin resistance in subjects with type 2 diabetes: reversal by exercise training." *Diabetes* **55**(3): 760-7.
- Sriwijitkamol, A., Coletta, D. K., Wajcberg, E., Balbontin, G. B., Reyna, S. M., Barrientes, J., Eagan, P. A., Jenkinson, C. P., Cersosimo, E., DeFronzo, R. A., Sakamoto, K. and Musi, N. (2007). "Effect of acute exercise on AMPK signaling in skeletal muscle of subjects with type 2 diabetes: a time-course and dose-response study." *Diabetes* **56**(3): 836-48.
- Staiger, H., Staiger, K., Stefan, N., Wahl, H. G., Machicao, F., Kellerer, M. and Haring, H. U. (2004). "Palmitate-induced interleukin-6 expression in human coronary artery endothelial cells." *Diabetes* **53**(12): 3209-16.
- Steinberg, G. R., Parolin, M. L., Heigenhauser, G. J. and Dyck, D. J. (2002). "Leptin increases FA oxidation in lean but not obese human skeletal muscle: evidence of peripheral leptin resistance." *Am J Physiol Endocrinol Metab* **283**(1): E187-92.

- Steinberg, G. R., Rush, J. W. and Dyck, D. J. (2003). "AMPK expression and phosphorylation are increased in rodent muscle after chronic leptin treatment." Am J Physiol Endocrinol Metab **284**(3): E648-54.
- Steppan, C. M. and Lazar, M. A. (2004). "The current biology of resistin." J Intern Med **255**(4): 439-47.
- Stern-Straeter, J., Bran, G., Riedel, F., Sauter, A., Hormann, K. and Goessler, U. R. (2008). "Characterization of human myoblast cultures for tissue engineering." Int J Mol Med **21**(1): 49-56.
- Stiegler, P. and Cunliffe, A. (2006). "The role of diet and exercise for the maintenance of fat-free mass and resting metabolic rate during weight loss." Sports Med **36**(3): 239-62.
- Storlien, L. H., Jenkins, A. B., Chisholm, D. J., Pascoe, W. S., Khouri, S. and Kraegen, E. W. (1991). "Influence of dietary fat composition on development of insulin resistance in rats. Relationship to muscle triglyceride and omega-3 fatty acids in muscle phospholipid." Diabetes **40**(2): 280-9.
- Straczkowski, M., Dzienis-Straczkowska, S., Stepień, A., Kowalska, I., Szelachowska, M. and Kinalska, I. (2002). "Plasma interleukin-8 concentrations are increased in obese subjects and related to fat mass and tumor necrosis factor-alpha system." J Clin Endocrinol Metab **87**(10): 4602-6.
- Straczkowski, M. and Kowalska, I. (2008). "The role of skeletal muscle sphingolipids in the development of insulin resistance." Rev Diabet Stud **5**(1): 13-24.
- Straczkowski, M., Kowalska, I., Baranowski, M., Nikolajuk, A., Otziomek, E., Zabielski, P., Adamska, A., Blachnio, A., Gorski, J. and Gorska, M. (2007). "Increased skeletal muscle ceramide level in men at risk of developing type 2 diabetes." Diabetologia **50**(11): 2366-73.
- Straczkowski, M., Kowalska, I., Nikolajuk, A., Dzienis-Straczkowska, S., Kinalska, I., Baranowski, M., Zendzian-Piotrowska, M., Brzezinska, Z. and Gorski, J. (2004). "Relationship between insulin sensitivity and sphingomyelin signaling pathway in human skeletal muscle." Diabetes **53**(5): 1215-21.
- Sugden, M. C. and Holness, M. J. (2003). "Recent advances in mechanisms regulating glucose oxidation at the level of the pyruvate dehydrogenase complex by PDKs." Am J Physiol Endocrinol Metab **284**(5): E855-62.
- Summers, S. A. (2006). "Ceramides in insulin resistance and lipotoxicity." Prog Lipid Res **45**(1): 42-72.

- Suwa, M., Nakano, H. and Kumagai, S. (2003). "Effects of chronic AICAR treatment on fiber composition, enzyme activity, UCP3, and PGC-1 in rat muscles." J Appl Physiol **95**(3): 960-8.
- Suzuki, A., Okamoto, S., Lee, S., Saito, K., Shiuchi, T. and Minokoshi, Y. (2007). "Leptin stimulates fatty acid oxidation and peroxisome proliferator-activated receptor alpha gene expression in mouse C2C12 myoblasts by changing the subcellular localization of the alpha2 form of AMP-activated protein kinase." Mol Cell Biol **27**(12): 4317-27.
- Taube, A., Eckardt, K. and Eckel, J. (2009). "Role of lipid-derived mediators in skeletal muscle insulin resistance." Am J Physiol Endocrinol Metab.
- Tchernof, A., Belanger, C., Morisset, A. S., Richard, C., Mailloux, J., Laberge, P. and Dupont, P. (2006). "Regional differences in adipose tissue metabolism in women: minor effect of obesity and body fat distribution." Diabetes **55**(5): 1353-60.
- Ternaux, J. P. and Portalier, P. (1996). "Cultures of striatal cholinergic neurons: phenotypic changes in the presence of muscle fibers." Basic Appl. Myol **6**(6): 459-468.
- Thalmann, S., Juge-Aubry, C. E. and Meier, C. A. (2008). "Explant cultures of white adipose tissue." Methods Mol Biol **456**: 195-9.
- Thiebaut, A. C., Kipnis, V., Chang, S. C., Subar, A. F., Thompson, F. E., Rosenberg, P. S., Hollenbeck, A. R., Leitzmann, M. and Schatzkin, A. (2007). "Dietary fat and postmenopausal invasive breast cancer in the National Institutes of Health-AARP Diet and Health Study cohort." J Natl Cancer Inst **99**(6): 451-62.
- Thompson, L. V. (1994). "Effects of age and training on skeletal muscle physiology and performance." Phys Ther **74**(1): 71-81.
- Thomson, D. M., Brown, J. D., Fillmore, N., Condon, B. M., Kim, H. J., Barrow, J. R. and Winder, W. W. (2007). "LKB1 and the regulation of malonyl-CoA and fatty acid oxidation in muscle." Am J Physiol Endocrinol Metab **293**(6): E1572-9.
- Timmers, S., Schrauwen, P. and de Vogel, J. (2008). "Muscular diacylglycerol metabolism and insulin resistance." Physiol Behav **94**(2): 242-51.
- Todd, M. K., Watt, M. J., Le, J., Hevener, A. L. and Turcotte, L. P. (2007). "Thiazolidinediones enhance skeletal muscle triacylglycerol synthesis while protecting against fatty acid-induced inflammation and insulin resistance." Am J Physiol Endocrinol Metab **292**(2): E485-93.

- Towler, M. C. and Hardie, D. G. (2007). "AMP-activated protein kinase in metabolic control and insulin signaling." Circ Res **100**(3): 328-41.
- Trayhurn, P. (2005). "The biology of obesity." Proc Nutr Soc **64**(1): 31-8.
- Turvey, E. A., Heigenhauser, G. J., Parolin, M. and Peters, S. J. (2005). "Elevated n-3 fatty acids in a high-fat diet attenuate the increase in PDH kinase activity but not PDH activity in human skeletal muscle." J Appl Physiol **98**(1): 350-5.
- Ukropcova, B., McNeil, M., Sereda, O., de Jonge, L., Xie, H., Bray, G. A. and Smith, S. R. (2005). "Dynamic changes in fat oxidation in human primary myocytes mirror metabolic characteristics of the donor." J Clin Invest **115**(7): 1934-41.
- Ukropec, J., Reseland, J. E., Gasperikova, D., Demcakova, E., Madsen, L., Berge, R. K., Rustan, A. C., Klimes, I., Drevon, C. A. and Sebokova, E. (2003). "The hypotriglyceridemic effect of dietary n-3 FA is associated with increased beta-oxidation and reduced leptin expression." Lipids **38**(10): 1023-9.
- Um, S. H., D'Alessio, D. and Thomas, G. (2006). "Nutrient overload, insulin resistance, and ribosomal protein S6 kinase 1, S6K1." Cell Metab **3**(6): 393-402.
- van der Kallen, C. J., van Greevenbroek, M. M., Stehouwer, C. D. and Schalkwijk, C. G. (2009). "Endoplasmic reticulum stress-induced apoptosis in the development of diabetes: is there a role for adipose tissue and liver?" Apoptosis **14**(12): 1424-34.
- Vessby, B., Gustafsson, I. B., Tengblad, S., Boberg, M. and Andersson, A. (2002). "Desaturation and elongation of Fatty acids and insulin action." Ann N Y Acad Sci **967**: 183-95.
- Vessby, B., Tengblad, S. and Lithell, H. (1994). "Insulin sensitivity is related to the fatty acid composition of serum lipids and skeletal muscle phospholipids in 70-year-old men." Diabetologia **37**(10): 1044-50.
- Vessby, B., Unsitupa, M., Hermansen, K., Riccardi, G., Rivellese, A. A., Tapsell, L. C., Nansen, C., Berglund, L., Louheranta, A., Rasmussen, B. M., Calvert, G. D., Maffetone, A., Pedersen, E., Gustafsson, I. B. and Storlien, L. H. (2001). "Substituting dietary saturated for monounsaturated fat impairs insulin sensitivity in healthy men and women: The KANWU Study." Diabetologia **44**(3): 312-9.
- Virtanen, K. A., Iozzo, P., Hallsten, K., Huupponen, R., Parkkola, R., Janatuinen, T., Lonnqvist, F., Viljanen, T., Ronnema, T., Lonnroth, P., Knuuti, J., Ferrannini, E. and Nuutila, P. (2005). "Increased fat mass compensates for insulin resistance in abdominal obesity and type 2 diabetes: a positron-emitting tomography study." Diabetes **54**(9): 2720-6.

- Volk, M. G. (2007). "An examination of the evidence supporting the association of dietary cholesterol and saturated fats with serum cholesterol and development of coronary heart disease." Altern Med Rev **12**(3): 228-45.
- Voss, M. D., Beha, A., Tennagels, N., Tschank, G., Herling, A. W., Quint, M., Gerl, M., Metz-Weidmann, C., Haun, G. and Korn, M. (2005). "Gene expression profiling in skeletal muscle of Zucker diabetic fatty rats: implications for a role of stearoyl-CoA desaturase 1 in insulin resistance." Diabetologia **48**(12): 2622-30.
- Vojarova de Courten, B., Degawa-Yamauchi, M., Considine, R. V. and Tataranni, P. A. (2004). "High serum resistin is associated with an increase in adiposity but not a worsening of insulin resistance in Pima Indians." Diabetes **53**(5): 1279-84.
- Vu, V., Kim, W., Fang, X., Liu, Y. T., Xu, A. and Sweeney, G. (2007). "Coculture with primary visceral rat adipocytes from control but not streptozotocin-induced diabetic animals increases glucose uptake in rat skeletal muscle cells: role of adiponectin." Endocrinology **148**(9): 4411-9.
- Wagenknecht, L. E., Langefeld, C. D., Scherzinger, A. L., Norris, J. M., Haffner, S. M., Saad, M. F. and Bergman, R. N. (2003). "Insulin sensitivity, insulin secretion, and abdominal fat: the Insulin Resistance Atherosclerosis Study (IRAS) Family Study." Diabetes **52**(10): 2490-6.
- Wajchenberg, B. L. (2000). "Subcutaneous and visceral adipose tissue: their relation to the metabolic syndrome." Endocr Rev **21**(6): 697-738.
- Wang, J. L., Chinookoswong, N., Scully, S., Qi, M. and Shi, Z. Q. (1999). "Differential effects of leptin in regulation of tissue glucose utilization in vivo." Endocrinology **140**(5): 2117-24.
- Watson, M. L., Coghlan, M. and Hundal, H. S. (2009). "Modulating serine palmitoyl transferase (SPT) expression and activity unveils a crucial role in lipid-induced insulin resistance in rat skeletal muscle cells." Biochem J **417**(3): 791-801.
- Watson, R. T. and Pessin, J. E. (2001). "Intracellular organization of insulin signaling and GLUT4 translocation." Recent Prog Horm Res **56**: 175-93.
- Watt, M. J., Steinberg, G. R., Chen, Z. P., Kemp, B. E. and Febbraio, M. A. (2006). "Fatty acids stimulate AMP-activated protein kinase and enhance fatty acid oxidation in L6 myotubes." J Physiol **574**(Pt 1): 139-47.
- Weigert, C., Brodbeck, K., Staiger, H., Kausch, C., Machicao, F., Haring, H. U. and Schleicher, E. D. (2004). "Palmitate, but not unsaturated fatty acids, induces the

- expression of interleukin-6 in human myotubes through proteasome-dependent activation of nuclear factor-kappaB." J Biol Chem **279**(23): 23942-52.
- Weisberg, S. P., McCann, D., Desai, M., Rosenbaum, M., Leibel, R. L. and Ferrante, A. W., Jr. (2003). "Obesity is associated with macrophage accumulation in adipose tissue." J Clin Invest **112**(12): 1796-808.
- Weiss, R. (2007). "Fat distribution and storage: how much, where, and how?" Eur J Endocrinol **157 Suppl 1**: S39-45.
- Wilmore, J. H., Despres, J. P., Stanforth, P. R., Mandel, S., Rice, T., Gagnon, J., Leon, A. S., Rao, D., Skinner, J. S. and Bouchard, C. (1999). "Alterations in body weight and composition consequent to 20 wk of endurance training: the HERITAGE Family Study." Am J Clin Nutr **70**(3): 346-52.
- Winder, W. W., Holmes, B. F., Rubink, D. S., Jensen, E. B., Chen, M. and Holloszy, J. O. (2000). "Activation of AMP-activated protein kinase increases mitochondrial enzymes in skeletal muscle." J Appl Physiol **88**(6): 2219-26.
- Wojtaszewski, J. F., MacDonald, C., Nielsen, J. N., Hellsten, Y., Hardie, D. G., Kemp, B. E., Kiens, B. and Richter, E. A. (2003). "Regulation of 5'AMP-activated protein kinase activity and substrate utilization in exercising human skeletal muscle." Am J Physiol Endocrinol Metab **284**(4): E813-22.
- Woodman, R. J., Mori, T. A., Burke, V., Puddey, I. B., Watts, G. F. and Beilin, L. J. (2002). "Effects of purified eicosapentaenoic and docosahexaenoic acids on glycemic control, blood pressure, and serum lipids in type 2 diabetic patients with treated hypertension." Am J Clin Nutr **76**(5): 1007-15.
- Worgall, T. S., Sturley, S. L., Seo, T., Osborne, T. F. and Deckelbaum, R. J. (1998). "Polyunsaturated fatty acids decrease expression of promoters with sterol regulatory elements by decreasing levels of mature sterol regulatory element-binding protein." J Biol Chem **273**(40): 25537-40.
- Wurtman, R. J. (2008). "Synapse formation and cognitive brain development: effect of docosahexaenoic acid and other dietary constituents." Metabolism **57 Suppl 2**: S6-10.
- Wyllie, A. H. (1980). "Glucocorticoid-induced thymocyte apoptosis is associated with endogenous endonuclease activation." Nature **284**(5756): 555-6.
- Xu, J., Nakamura, M. T., Cho, H. P. and Clarke, S. D. (1999). "Sterol regulatory element binding protein-1 expression is suppressed by dietary polyunsaturated fatty acids.



- A mechanism for the coordinate suppression of lipogenic genes by polyunsaturated fats." J Biol Chem **274**(33): 23577-83.
- Yaffe, D. (1968). "Retention of differentiation potentialities during prolonged cultivation of myogenic cells." Proc Natl Acad Sci U S A **61**(2): 477-83.
- Yamauchi, T., Kamon, J., Minokoshi, Y., Ito, Y., Waki, H., Uchida, S., Yamashita, S., Noda, M., Kita, S., Ueki, K., Eto, K., Akanuma, Y., Froguel, P., Foufelle, F., Ferre, P., Carling, D., Kimura, S., Nagai, R., Kahn, B. B. and Kadowaki, T. (2002). "Adiponectin stimulates glucose utilization and fatty-acid oxidation by activating AMP-activated protein kinase." Nat Med **8**(11): 1288-95.
- Ye, J. M., Doyle, P. J., Iglesias, M. A., Watson, D. G., Cooney, G. J. and Kraegen, E. W. (2001). "Peroxisome proliferator-activated receptor (PPAR)-alpha activation lowers muscle lipids and improves insulin sensitivity in high fat-fed rats: comparison with PPAR-gamma activation." Diabetes **50**(2): 411-7.
- Yeo, W. K., Lessard, S. J., Chen, Z. P., Garnham, A. P., Burke, L. M., Rivas, D. A., Kemp, B. E. and Hawley, J. A. (2008). "Fat adaptation followed by carbohydrate restoration increases AMPK activity in skeletal muscle from trained humans." J Appl Physiol **105**(5): 1519-26.
- Yoon, M. J., Lee, G. Y., Chung, J. J., Ahn, Y. H., Hong, S. H. and Kim, J. B. (2006). "Adiponectin increases fatty acid oxidation in skeletal muscle cells by sequential activation of AMP-activated protein kinase, p38 mitogen-activated protein kinase, and peroxisome proliferator-activated receptor alpha." Diabetes **55**(9): 2562-70.
- Yoshida, T., Sakane, N., Wakabayashi, Y., Umekawa, T. and Kondo, M. (1994). "Anti-obesity and anti-diabetic effects of CL 316,243, a highly specific beta 3-adrenoceptor agonist, in yellow KK mice." Life Sci **54**(7): 491-8.
- Yu, R., Kim, C. S., Kwon, B. S. and Kawada, T. (2006). "Mesenteric adipose tissue-derived monocyte chemoattractant protein-1 plays a crucial role in adipose tissue macrophage migration and activation in obese mice." Obesity (Silver Spring) **14**(8): 1353-62.
- Yu, Y. H. and Ginsberg, H. N. (2005). "Adipocyte signaling and lipid homeostasis: sequelae of insulin-resistant adipose tissue." Circ Res **96**(10): 1042-52.
- Yuan, M., Konstantopoulos, N., Lee, J., Hansen, L., Li, Z. W., Karin, M. and Shoelson, S. E. (2001). "Reversal of obesity- and diet-induced insulin resistance with salicylates or targeted disruption of Ikkbeta." Science **293**(5535): 1673-7.

- Zeyda, M. and Stulnig, T. M. (2007). "Adipose tissue macrophages." Immunol Lett **112**(2): 61-7.
- Zhang, J., Gao, Z., Yin, J., Quon, M. J. and Ye, J. (2008). "S6K directly phosphorylates IRS-1 on Ser-270 to promote insulin resistance in response to TNF-(alpha) signaling through IKK2." J Biol Chem **283**(51): 35375-82.
- Zhang, K. and Kaufman, R. J. (2008). "From endoplasmic-reticulum stress to the inflammatory response." Nature **454**(7203): 455-62.
- Ziccardi, P., Nappo, F., Giugliano, G., Esposito, K., Marfella, R., Cioffi, M., D'Andrea, F., Molinari, A. M. and Giugliano, D. (2002). "Reduction of inflammatory cytokine concentrations and improvement of endothelial functions in obese women after weight loss over one year." Circulation **105**(7): 804-9.
- Zorzano, A., Fandos, C. and Palacin, M. (2000). "Role of plasma membrane transporters in muscle metabolism." Biochem J **349 Pt 3**: 667-88.
- Zu, L., Jiang, H., He, J., Xu, C., Pu, S., Liu, M. and Xu, G. (2008). "Salicylate blocks lipolytic actions of tumor necrosis factor-alpha in primary rat adipocytes." Mol Pharmacol **73**(1): 215-23.
- Zurlo, F., Larson, K., Bogardus, C. and Ravussin, E. (1990). "Skeletal muscle metabolism is a major determinant of resting energy expenditure." J Clin Invest **86**(5): 1423-7.